View NSN Online: https://aerobasegroup.tw/nsn/6850-01-355-3387

DINOL INTERNATIONAL. -- DINITROL AV 30,HV/269 E -- 6850-01-355-3387

Product ID:DINITROL AV 30,HV/269 E MSDS Date:02/11/1997 FSC:6850 NIIN:01-355-3387 MSDS Number: CFKKG === Responsible Party === Company Name:DINOL INTERNATIONAL. Address:283 SW 41ST ST City:RENTON State:WA ZIP:98055 Country:US Info Phone Num:206-251-9504 Emergency Phone Num:206-251-9504 CAGE:0L040

=== Contractor Identification === Company Name:DINOL U.S., INC. Address:14826 NE 95TH STREET Box:City:REDMOND State:WA ZIP:98052 Country:US Phone:425-556-5114/800-331-4304 CAGE:0L040

Ingred Name:NAPHTHA(PETROLEUM)HYDROTREATED HEAVY SUBSTANCES WITH HARMFUL PROPERTIES/MINERAL SPIRITS CAS:64475-85-0 RTECS #:PY8240000 Fraction by Wt: 35 - 45% Other REC Limits:NONE RECOMMENDED OSHA PEL:5 MG/M3 AS OIL MIST ACGIH TLV:5 MG/M3 AS **OIL MIST**

Ingred Name:BUTYL GLYCOL/2-BUTOXYETHANOL CAS:111-76-2 RTECS #:KJ8575000 Fraction by Wt: 1.1-1.6% Other REC Limits:NONE RECOMMENDED OSHA PEL:S, 50 PPM ACGIH TLV:S, 25 PPM; 9596

Ingred Name:SURFACTANT/2,2'-(9-OCTADECENYLIMINO)BISETHANOL CAS:25307-17-9 Fraction by Wt: 0.2% Other REC Limits:NONE RECOMMENDED

Ingred Name:INHIBITOR(SULFONATE BASE)/CALCIUM DINONYLNAPHTHALENESULFONATE CAS:57855-77-3 Fraction by Wt: 10 - 20% Other REC Limits:NONE RECOMMENDED

====== Hazard

LD50 LC50 Mixture:LD50 (ORAL, RAT) IS >2,000 MG/KG. Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:TARGET ORGANS:EYE, SKIN, RESPIRATORY & GI TRACTS. ACUTE- MAY CAUSE EYE IRRITATION. PROLONGED/REPEATED SKIN CONTACT MAY CAUSE DRYNESS. MAY BE HARMFUL IF INHALED OR INGESTED. CHRONIC- UNKNOWN. Explanation of Carcinogenicity:NONE Effects of Overexposure:IRR ITATION, HEADACHE, NAUSEA, VOMITING, BLURRED VISION, TEARING, DRYNESS OF SKIN Medical Cond Aggravated by Exposure:PERSONS WITH PRE-EXISTING SKIN DISORDERS, EYE PROBLEMS OR IMPAIRED RESPIRATORY FUNCTION MAY BE MORE SUSCEPTIBLE TO THE EFFECTS OF THIS PRODUCT.

First Aid:GET MEDICAL ATTENTION IF SYMPTOMS PERSIST. EYES:IMMEDIATELY FLUSH WITH WATER FOR 15 MINUTES. HOLD EYELIDS OPEN. SKIN:WASH WITH SOAP & WATER. INHALED:MOVE TO FRESH AIR. PROVIDE CPR/OXYGEN IF NECESSARY. ORAL:GET MEDICAL ATTENTION IF SIGNIFICANT AMOUNTS ARE INGESTED OR SEVERE COUGHING OR VOMITING OCCURS. TAKE 3 OZ USP MINERAL OIL OR VEGETABLE OIL.

Flash Point:>117F,>47C Autoignition Temp: Autoignition Temp Text: 464F Lower Limits:0.6 Upper Limits:7.0 Extinguishing Media: DRY CHEMICAL, CARBON DIOXIDE, FOAM OR HALON. COOL FIRE-EXPOSED CONTAINERS WITH WATER SPRAY. Fire Fighting Procedures: WEAR FULL PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS. Unusual Fire/Explosion Hazard: VAPOR IS HEAVIER THAN AIR AND CAN TRAVEL CONSIDERABLE DISTANCE TO A SOURCE OF IGNITION AND FLASH BACK. CONTAINERS MAY RUPTURE DUE TO VAPOR PRESSURE BUILDUP. Spill Release Procedures: WEAR PROTECTIVE EQUIPMENT. ELIMINATE SOURCES OF IGNITION. VENTILATE AREA. CONTAIN AN D PICK UP SPILL WITH NON-FLAMMABLE ABSORBENT SUCH AS SAND, EARTH, VERMICULITE. GROUND ALL HANDLING EQUIPMENTS. PREVE NT LIQUID FROM ENTERING SEWERS OR WATERWAYS. Neutralizing Agent:NOT RELEVANT

 Handling and Storage Precautions:STORE AT MODERATE TEMPERATURES, IN DRY, WELL-VENTILATED AREAS AWAY FROM SOURCES OF IGNITION.
Other Precautions:"EMPTY" CONTAINERS RETAIN RESIDUE. FOLLOW ALL LABEL INSTRUCTIONS. AVOID
REPEATED/PROLONGED SKIN CONTACT. KEEP OUT OF
REACH OF CHILDREN. DO NOT BREATHE VAPORS. DO NOT INGEST. WASH AI

REACH OF CHILDREN. DO NOT BREATHE VAPORS. DO NOT INGEST. WASH AFTER HANDLING.

Respiratory Protection:NONE REQUIRED WHERE ADEQUATE VENTILATION CONDITIONS EXIST. IF AIRBORNE CONCENTRATION IS HIGH, WEAR A NIOSH-APPROVED ORGANIC VAPOR RESPIRATOR. Ventilation:MECHANICAL (GENERAL AND/OR LOCAL EXHAUST, EXPLOSION-PROOF) VENTILATION TO MAINTAIN EXPOSURE BELOW TLV(S). Prot ective Gloves:NEOPRENE, NITRILE Eye Protection:SAFETY GLASSES/CHEMICAL SPLASH GOGGLES Other Protective Equipment:EYE WASH STATION & SAFETY SHOWERS SHOULD BE AVAILABLE IN THE IMMEDIATE VICINITY OF ANY POTENTIAL EXPOSURE. Work Hygienic Practices:OBSERVE GOOD INDUSTRIAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. WASH THOROUGHLY BEFORE EATING, DRINKING/SMOKING. Supplemental Safety and Health FORMULA CHANGED. FOR PREVIOUS FORMULATIONS, SEE PNI A-C, SAME NSN.

HCC:F4 NRC/State Lic Num:NOT RELEVANT Boiling Pt:B.P. Text:284F - 392F Vapor Pres:1 Evaporation Rate & amp; Reference: