View NSN Online: https://aerobasegroup.tw/nsn/6850-01-444-9120

## SPECTRONICS CORPORATION -- GS-3/E FLUORESCENT ADDITIVE

\_\_\_\_\_\_

MSDS Safety Information

\_\_\_\_\_

FSC: 6850

NIIN: 01-444-9120 MSDS Date: 10/21/1994 MSDS Num: CFLHL

Product ID: GS-3/E FLUORESCENT ADDITIVE

MFN: 01

Responsible Party Cage: 20772

Name: SPECTRONICS CORPORATION Address: 956 BRUSH HOLLOW ROAD

Box: 48 City:

WESTBURY NY 00000

Info Phone Number: 800-274-8888/FAX 516-333-4859 Emergency Phone Number: 800-424-9300(CHEMTREC)

Proprietary Ind: Y Review Ind: Y Published: Y

\_\_\_\_\_\_

Preparer Co. when other than Responsible Party Co.

\_\_\_\_\_

Cage: 20772

Name: SPECTRONICS CORP Address: 956 BRUSH HOLLOW RD

Box: 483

City: WESTBURY NY 11590

\_\_\_\_\_

Contractor Summary

===

\_\_\_\_\_\_

Cage: 20772

Name: SPECTRONICS CORP Address: 956 BRUSH HOLLOW RD

Box: 483

City: WESTBURY NY 11590

Phone: 900-274-8888

\_\_\_\_\_\_

Item Description Information

\_\_\_\_\_\_

Item Manager: S9G

Item Name: LEAK TEST COMPOUND Specification Number: UNKNOWN

Unit of Issue: BX

Quantitative Expression: 00000000006EA

UI Container Qty: 0

Type of Container: CAPSULE FORM

=

Ingredients Name: \*\*\* PROPRIETARY \*\*\* Health Hazards Data -----LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER. Route Of Entry Inds - Inhalation: NO Skin: YES Ingestion: NO Carcinogenicity Inds - NTP: NO IARC: NO OSHA: NO Effects of Exposure: EYE: CAN CAUSE MILD-MODERATE IRRIT. SEVERLY OF RX DEPENDS ON DURATION OF EXPO & amp; 1STAID PROCEDURES ADMIN.SKIN: IRRIT CAN OCCUR FOLLOWING PROL/REP CONTACT.INHAL:CAN CAUSE IRRIT OF NOSE/THROAT/UPPER RESP TR ACT.INGEST:CAN CAUSE GI IRRIT.ADDN EFFECTS:DEPENDING ON ROUTE/FREQ/DURATION OF EXPO TOXICITY MAY EFFECT EYES. Explanation Of Carcinogenicity: PER MSDS:CARCINOGENICITY LISTED BY ACGIH/IARC/NTP/ OSHA:NO. Signs And Symptions Of Overexposure: FLUORESCENT ADDITIVE:EYE CONTACT & CONT PROL/REP SKIN CONTACT MAY CAUSE IRRIT.INGEST MAY CAUSE GASTROINTESTINAL IRRIT.LUBRICANT OIL:CONSIDERED AN OSHA HAZ SUBSTANCE BASED ON AIRBORNE EXPO LIMIT FOR OIL MIS T. Medical Cond Aggravated By Exposure: EXPOSURE TO THIS PRODUCT IS NOT EXPECTED TO CONTRIBUTE TO, WORSEN OR AGGRAVATE ANY EXISTING MEDICAL CONDITIONS. First Aid: EYE:FLUSH THOROUGHLY W/WATER.IRRIT DVLPS CONSULT PHYSICIAN.SKIN:WASH AREA W/SOAP/WATER.IRRIT DVLPS CONSULT PHYSICIAN.INHAL:REMOVE TO FRESH AIR.SYMPT DVLP SEEK MED ATTN.NOT BREATH GIVE ART RESP PREF MO

UTH-TO-MOUTH.INGEST:DONT INDUCE VOMIT.ACCIDENTAL INGEST OF SINGLE MOUTHFUL NOT EXPECTED TO CAUSE SIGNIFICANT HARM.NOTE:IN ALL SEVERE CASES CONTACT DR IMMED.LOC PHONE OPERATOR CAN FURNISH #FOR (SUPPL)

\_\_\_\_\_

Handling and Disposal

\_\_\_\_\_\_

Spill Release Procedures: STOP DISCHARGE.CONTAIN MATL.USE ABSORBENT(FULLERS EARTH,CLAY,OTHER APPROP SYN ABSORBENT).PLACE CONTAM

MATL IN SUITABLE CNTNR

FOR DISPO.ELIMINATE ALL IGN SOURCES.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods: METHODS OF DISPO CURRENTLY AVAILABLE VARY BY

LOCATION.ITS RECOMMENDED THAT ALTERNATIVE BE SELECTED ACCORDING TO FOLLOWING

ODOR OF PREF BASED UPON ENVIRO ACCEPTABILITY:1)RECYCLE/REWORK IF ALL

FEASIBLE2 )INCINERATE @AUTHORIZED FACIL3)TREAT (SUPPLEMENTA)

Handling And Storage Precautions: STORE IN COOL DRY WELL-VENTI AREA.DONT STORE

NEAR HEAT OR IGN SOURCE

S.ALWAYS KEEP CNTNRS TIGHTLY CLSD TO AVOID CONTAM.

Other Precautions: SPECIAL WARNING:HOT ORGANIC CHEM VAPORS OR MSITS CAN SUDDENLY & SUDDENLY & WITHOUT WARNING COMBUST WHEN MIXED W/AIR. PROD DOESN CONTAIN TOXIC SEC 313 CHEMS.

\_\_\_\_\_

Fire and Explosion Hazard Information

\_\_\_\_\_

Flash Point Method: PMCC

Flash Point Text: >200F,>93C Autoignition Temp Text: N/ESTA Lower Limits: N/ESTABLISHD

Upper L

imits: N/ESTABLISHD

Extinguishing Media: USE DRY CHEMICAL, CARBON DIOXIDE, CHEM FOAM.

Fire Fighting Procedures: FIRE FIGHTERS/OTHERS WHO MAY BE EXPO TO PRODUCTS OF

COMBUSTION SHOULD BE EQUIPPED W/NIOSH APPROV +PRESSURE,SELF-CONTAIN BREATH

APPARATUS/FULL PROT CLOTH.

Unusual Fire/Explosion Hazard: AVOID USING WATER ON BURNING MATLS TO REDUCE SPLATTERING/SPREADING OF FIRE.MAY LIBERATE IRRIT OR TOXIC VAPORS DURING COMBUSTION OR DECOMPOSITION.

====

**Control Measures** 

\_\_\_\_\_\_

Respiratory Protection: AVOID BREATHING VAP & amp;/OR MIST.

Ventilation: MINIMIZE EXPO BY PROVIDING ADEQUATE VENTI.GEN(MECH)RM VENTI SAF

FOR USE @LOW TEMPS.@HIGH TEMPS SPEC LOC VENTI (SUPPLEM)

Protective Gloves: WEAR APPROPRIATE IMPERV GLOVES

Eye Protection: WEAR SAF GOGGLES

Other Protective Equipment: WEAR PROTECTIVE CLOTHING.ALWAYS CONSULT GLOVE MFG

TO DETERMINE DPROPER TYPE FOR SPECICIF OPERATION.

Work Hygienic

Describes MACH CONTAM OF OTH CEDADATELY & DDIED DEE DELICE MACH	
Practices: WASH CONTAM CLOTH SEPARATELY & DRIED BEF REUSE.WASH	
THOROUGHLY AFT HDNLG ESPEC BEF EAT/DRINK/SMOKE/USE RESTRM FACI.	
Supplemental Safety and Health: MSDS ALSO FOR GS-1/E;GS-2/E;GS-101/E HOWEVER	
%INGREDS DIFFERS. 1STAID:REG POIS CNTRL CNTR.NOTE TO DR:TREAT SHOULD BE	
DIRECT @PREVENT ABSORPTION, ADMIN TO SYMPT AS THEY OCCUR, & amp; PROVIDE SUPPRO	T
THERAPY. VENTI:RECOMMENDED @PTS WHERE VAP CAN ESCAPE THE WORKPLACE AIR.	
DISPO:@ACCEPTABLE WASATE TREAT FACILITY.	
=======================================	
Physical/Chemical Properties	
======================================	

B.P. Text: >300F,>149C Vapor Pres: <0.1 Vapor Density: >1 Spec Gravity: 0.91-0.96 PH: NA Evaporation Rate & Evaporation R Solubility in Water: INSOLUBLE Appearance and Odor: DARK REDDISH LIQUID, ODOR LIKE OIL Percent Volatiles by Volume: 0 \_\_\_\_\_ Reactivity Data \_\_\_\_\_ \_\_\_\_\_ Stability Indicator: YES Stability Condition To Avoid: NONE SPECIFIED BY MANUFACTURER. Materials To Avoid: OXIDIZING AGENTS & REDUCING AGENTS. Hazardous Decomposition Products: IF HEATED TO HIGH TEMPS THIS PRODUCT MAY EMIT SMOKE, SOOT & TOXIC FUMES (E.G. OXIDES OF CARBON AND NITROGEN). Hazardous Polymerization Indicator: NO \_\_\_\_\_ **Toxicological Information** \_\_\_\_\_\_ \_\_\_\_\_ **Ecological Information MSDS** Transport Information \_\_\_\_\_ \_\_\_\_\_\_ Regulatory Information \_\_\_\_\_

\_\_\_\_\_\_

Other Information

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_\_

Transportation Information

\_\_\_\_\_

Responsible Party Cage: 20772

Trans ID NO: 137060

Product ID: GS-3/E FLUORESCENT ADDITIVE

MSDS Prepared Date: 10/21/1994

Review Date: 10/31/1997

MFN: 1

Net Unit Weight: 6 X 0.5 OZ Multiple KIT Number: 0

Review IND: Y Unit Of Issue: BX Container QTY: 0

Type Of Container: CAPSULE FORM

Additional Data: PER MSDS:DOT SHIPPING NAME:NOT REGULATED;LABEL/ID@:NOT

APPLICABLE.NONREGULATED SHIPMENTS BY AIR UNDE R 49CFR,IATA/ICAO/IMO.

\_\_\_\_\_

**Detail DOT Information** 

\_\_\_\_\_\_

DOT PSN Code: ZZZ

DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

\_\_\_\_\_

**Detail IMO Information** 

\_\_\_\_\_\_

IMO PSN Code: ZZZ IMO Proper Shipp

ing Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION

**Detail IATA Information** 

\_\_\_\_\_\_

IATA PSN Code: ZZZ

IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

**Detail AFI Information** 

\_\_\_\_\_

AFI PSN Code: ZZZ

AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSP

## ORTATION

\_\_\_\_\_

## **HAZCOM Label**

\_\_\_\_\_

Product ID: GS-3/E FLUORESCENT ADDITIVE

Cage: 20772

Company Name: SPECTRONICS CORP

Street: 956 BRUSH HOLLOW RD

PO Box: 483

City: WESTBURY NY Zipcode: 11590

Health Emergency Phone: 800-424-9300(CHEMTREC)

Label Required IND: Y

Date Of Label Review: 10/31/1997

Status Code: C

Label Date: 10/31/1997 Origination Code: F Eye Protection IND: YES Skin Protection IND: YES

Respiratory Protection IND: YES

Health Hazard: Slight Contact Hazard: Slight Fire Hazard: None

Reactivity Hazard: None

Hazard And Precautions: EYE:MILD-MODERATE IRRIT.SEVERLY OF RX DEPENDS ON DURATION OF EXPO & DEPENDENT OF RESPONDENT OF EXPO & DEPENDING PROL/REP CONTACT.INHAL:IRRIT NOSE/THROAT/UPPER RESP TRACT.INGEST:GI IRRIT.ADDN EFFECTS: DEPENDING ON ROUTE/FREQ/DURATION OF EXPO TOXICITY MAY AEFFECT EYE.TARGET ORGANS:EYE/SKIN/RESP TRACT/NOSE/THROAT/GI.1STAID:EYE:FLUSH WELL W/WAT

ER.IRRIT DVLPS CONSULT PHYSICIAN.SKIN:WASH AREA W/SOAP/WAT ER.IRRIT DVLPS CONSULT PHHSICIAN.INHAL:REMOVE TO FRESH AIR.SYMPT DVLP SEEK MED ATTN.NOT BREATH GIVE ART RESP PREF MOUHT-TO-MOUTH.INGEST:DONT INDUCE VOMIT.ACCIDENTAL INGEST OF SINGLE MOUTHFUL NOT EXPEC TED TO CAUSE SIGNIFICANT HARM.

\_\_\_\_\_\_

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense.

The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America

should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.