

WACKER SILICONES CORP -- RTV SILICONE RUBBER T 200 B,T 200 B PREMIER -- 6850-01-159-4844

=====
Product Identification
=====

Product ID:RTV SILICONE RUBBER T 200 B,T 200 B PREMIER

MSDS Date:09/16/1996

FSC:6850

NIIN:01-159-4844

MSDS Number: CFYPR

=== Responsible Party ===

Company Name:WACKER SILICONES CORP

Address:3301 SUTTON RD

City:ADRIAN

State:MI

ZIP:49221

Country:US

Info Phone Num:517-264-8500

Emergency Phone Num:517-264-8500/800-424-9300(CHEMTREC)

CAGE:0DF77

=== Contractor Identification ===

Company Name:VEHICLES INC.

Address:702 GARFIELD ST

Box:1444

City:EMPORIA

State:KS

ZIP:66801-5110

Country:US

Phone:316-343-6653

CAGE:0E5D8

Company Name:WACKER SILICONES CORP

Address:3301 SUTTON RD

Box:City:ADRIAN

State:MI

ZIP:49221

Country:US

Phone:517-264-8500

CAGE:0DF77

=====
Composition/Information on Ingredients
=====

Ingred Name:METHYL-TRIS-CYCLOHEXYLAMINO SILANE CURING AG

ENT
CAS:15901-40-3
Other REC Limits:NONE RECOMMENDED

Ingred Name:POLY (DIMETHYLSILOXANE)
CAS:63148-62-9
RTECS #:JJ6484500
Other REC Limits:NONE RECOMMENDED

Ingred Name:CYCLOHEXYLAMINE (SARA 302)
CAS:108-91-8
RTECS #:GX0700000
Other REC Limits:NONE RECOMMENDED
OSHA PEL:10 PPM
ACGIH TLV:10 PPM; 9596

Ingred Name:CARBON BLACK
CAS:1333-86-4
RTECS #:FF5800000
Other REC Limits:NONE RECOMMENDED
OSHA PEL:3.5 MG/M3
ACGIH TLV:3.5 MG/M3; 9596

=====
===== Hazards Identification =====
=====

LD50 LC50 Mixture:LD50 (ORAL, RAT) IS NOT KNOWN.
Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:TARGET ORGANS:EYE, SKIN, RESPIRATORY
TRACT. ACUTE- CORROSIVE TO RABBIT EYES AND SKIN. DIRECT CONTACT
WITH EYES AND SKIN WILL CAUSE BURNS AND MAY CAUSE PERMANENT DAMAGE.
INHALATION OF VAPOR/MIST MAY CAUSE NARCOTIC EFFECTS. INGESTION IS
NOT EXPECTED IN INDUSTRIAL USE. CHRONIC- UNKNOWN.

Explanation of Carcinogenicity:NONE
Effects of Overexposure:SEVERE IRRITATION, DISCOMFORT, TEARING,
REDNESS, BURNS, PAIN

=====
===== First Aid Measures =====
=====

First Aid:GET MEDICAL HELP IF SYMPTOMS PERSIST. INHALED:MOVE TO FRESH
AIR. EYES:IMMEDIATELY FLUSH WITH WATER FOR 15 MINUTES, HOLDING
EYELIDS OPEN. SKIN:REMOVE PASTE. WASH SKIN WITH SOAP & WATER. TREAT
FOR BURNS IF NEEDED. ORAL:NOT LIKELY.

=====
===== Fire Fighting Measures =====
=====

=====

Flash Point:NONE

Lower Limits:NOT RELEVANT

Upper Limits:NOT RELEVANT

Extinguishing Media:CARBON DIOXIDE, SAND, FOAM/DRY CHEMICAL. WATER SPRAY MAY BE USED TO KEEP FIRE EXPOSED CONTAINERS COOL.

Fire Fighting Procedures:DO NOT ENTER ANY ENCLOSED OR CONFINED AREA WITHOUT PROPER PROTECTIVE EQUIPMENT AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard:PRODUCT WILL BURN WITH A LAZY SMOLDERING TYPE FLAME. MAY FORM TOXIC VAPORS.

=====

===== Accidental Release Measures =====

Spill Release Procedures:WEAR PROTECTIVE EQUIPMENT. VENTILATE AREA. REMOVE SPILL WITH ABSORBENT MATERIAL SUCH AS SAND, CLAY, VERMICULITE. TRANSFER INTO CONTAINERS FOR DISPOSAL OR SALVAGE. WASH SPILL SITE AFTER PICKUP IS COMPL ETE.

Neutralizing Agent:NOT RELEVANT

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN DRY, CLEAN, VENTILATED PLACE AWAY FROM INCOMPA

TIBLE MATERIALS. KEEP OUT OF REACH OF CHILDREN.

KEEP CONTAINER TIGHTLY CLOSED.

Other Precautions:AVOID CONTACT WITH EYES AND SKIN. WASH THOROUGHLY AFTER HANDLING. LAUNDRER CLOTHING BEFORE REUSE. DO NOT TAKE INTERNALLY. DO NOT EAT, DRINK OR SMOKE IN THE WORK AREA.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE REQUIRED WHERE ADEQUATE VENTILATION CONDITIONS EXIST. IF AIRBORNE CONCENTRATION IS HIGH, WEAR A NIOSH-APPROVED AIR-PURI

FYING OR SUPPLIED-AIR RESPIRATOR.

Ventilation:ADEQUATE

Protective Gloves:RUBBER

Eye Protection:SAFETY GLASSES/CHEMICAL SPLASH GOGGLES

Other Protective Equipment:EYE WASH STATION AND SAFETY SHOWER.

INDUSTRIAL-TYPE WORK CLOTHING AND APRON AS REQUIRED.

Work Hygienic Practices:OBSERVE GOOD INDUSTRIAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. WASH BEFORE EATING OR DRINKING.

Supplemental Safety and Health

FORMULA CHANGED. FOR PREVIOUS FORMULATIONS, SEE PNI A, B, C, SAME NSN.

=====

===== Physical/Chemical Properties =====

HCC:T6

NRC/State Lic Num:NOT RELEVANT

Vapor Density:3.4

Spec Gravity:1.03

Viscosity:NOT RELEVANT

Evaporation Rate & Reference:NOT RELEVANT

Solubility in Water:NEGLIGIBLE

Appearance and Odor:BLACK PASTE - AMMONIACAL ODOR

Percent Volatiles by Volume:3

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

ACIDS, WATER, ALCOHOL, STRONG ALKALIS, STRONG OXIDIZING AGENTS

Stability Con

dition to Avoid:MOISTURE

Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE,
SILICON DIOXIDE, FORMALDEHYDE, VARIOUS HYDROCARBON FRAGMENTS

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN AN APPROPRIATE DISPOSAL FACILITY
IN COMPLIANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.