View NSN Online: https://aerobasegroup.tw/nsn/6850-01-406-7736

Product ID:BLACK DEVELOPER,5 R 311 MSDS Date:10/07/1997 FSC:6850 NIIN:01-406-7736 MSDS Number: CGFQG === Responsible Party === Company Name: XEROX CORPORATION Address:100 CLINTON AVE SOUTH, XROX SQ City:ROCHESTER State:NY ZIP:14644-1877 Country:US Info Phone Num:800-828-6571/FAX 716-422-6449 Emergenc y Phone Num:716-422-2177/1230 Resp. Party Other MSDS Num.:B-0289 CAGE:26921 === Contractor Identification === Company Name: GIGA INC. Address:2448 INDUSTRIAL PARK DRIVE Box:4265 City:MACON State:GA ZIP:31208 Country:US Phone:912-788-2448 CAGE:8S706 Company Name: RAHWAY TYPEWRITER CO Address:98 RT 27 Box:City:RAHWAY State:NJ ZIP:07065 Country:US Phone:732-381-6650 Contract Num:SP0450-99-M-C426 CAGE:1E1F3 Company Name: XEROX CORP XEROX SQ 010A Address:100 CLINTON AVE S City:ROCHESTER State:NY ZIP:146

44-1877 Country:US Phone:716-422-2177 CAGE:6U221 Company Name:XEROX CORPORATION Address:100 CLINTON AVE SOUTH Box:City:ROCHESTER State:NY ZIP:14644-1877 Country:US Phone:800-828-6571/716-422-2177 CAGE:26921

Ingred Name:CU-ZN FERRITE POWDER/CERAMIC BONDED ALUMINA CAS:66402-68-4 Minumum % Wt:90. Maxumum % Wt:100. Other REC Limits:NONE RECOMMENDED

Ingred Name:STYRENE ACRYLATE COPOLYMER/ACRYLIC ACID BUTYL ESTER POLYMER WITH STYRENE CAS:25767-47-9 &It; Wt:9. Other REC Limits:NONE RECOMMENDED

Ingred Name:CARBON BLACK CAS:1333-86-4 RTECS #:FF5800000 < Wt:1. Other REC Limits:NONE RECOMMENDED OSHA PEL:3.5 MG/M3 ACGIH TLV:3.5 MG/M3; 9596

Ingred Name:POLYPROPYLENE (WAX) CAS:9003-07-0 RTECS #:TR5000000 < Wt:1. Other REC Limits:NONE RECOMMENDED

LD50 LC50 Mixture:LD50 (ORAL, RAT) IS >5,000 MG/KG. Routes of Entry: Inhalation:YES Skin:NO Ingestion :NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: MINIMAL RESPIRATORY TRACT IRRITATION MAY OCCUR AS WITH EXPOSURE TO LARGE AMOUNTS OF ANY NON-TOXIC DUST. Explanation of Carcinogenicity:NO CARCINOGENS PRESENT. Effects of Overexposure: MINIMAL RESPIRATORY IRRITATION. Medical Cond Aggravated by Exposure:NONE WHEN USED AS DESCRIBED BY PRODUCT LITERATURE. First Aid:INHALED:MOVE TO FRE SH AIR. EYES: FLUSH WITH WATER. SKIN: WASH WITH SOAP & WATER. INGESTION: DILUTE STOMACH CONTENTS WITH SEVERAL GLASSES OF WATER. Flash Point:NONE Extinguishing Media:WATER, CARBON DIOXIDE, FOAM OR DRY CHEMICAL. Fire Fighting Procedures: AVOID INHALATION OF SMOKE. WEAR PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS. Unusual Fire/Explosion Hazard:NONE. ========== Accidental Release Me asures ================= Spill Release Procedures: SWEEP UP OR VACUUM. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER. Handling and Storage Precautions:NONE. Other Precautions: AVOID PROLONGED INHALATION OF EXCESSIVE DUST. Respiratory Protection: NONE REQUIRED WHEN USED AS INTENDED IN XEROX EQUIPMENT. Ventilation:ROOM VENTILATION

Protective Gloves:NON

E REQUIRED WHEN USED AS INTENDED IN XEROX
EQUIPMENT. Eye Protection:NONE REQUIRED WHEN USED AS INTENDED IN XEROX EQUIPMENT. Other Protective Equipment:FOR USE OTHER THAN NORMAL CUSTOME (SUCH AS BULK TONER PROCESSING), GOGGLES & RESPIRATOR MAY BE REQUIRED. FOR MORE INFORMATION, CONTACT XEROX.
Work Hygienic Practices: PRACTICE GOOD HYGIENIC PROCEDURE. WASH THOROUGHLY BEFORE EATING OR DRINKING.
Supplemental Safety and Health
NONE SPECIFED BY MANUFACTURER.
==========================Physica
I/Chemical Properties ====================================
HCC:N1 Spec Gravity:5
Appearance and Odor:BLACK POWDER - FAINT ODOR
======================================
Stability Indicator/Materials to Avoid:YES NONE.
Stability Condition to Avoid:NONE. Hazardous Decomposition Products:PRODUCT OF COMBUSTION MAY BE TOXIC.
======================================
Toxicological Information:DERMAL LD50 (RABBIT): >5000 MG/KG; INHALATION LC50 (RATS, 4 HR): >5
MG/L; EYE IRRITATION: NOT AN IRRITANT; SKIN
SENSITIZATION: NOT A SENSITIZER; SKIN IRRITATION: NOT AN IRRITANT; HUMAN PATCH: NON-IRRI TATING, NON-SENSITIZING; MUTAGENICITY:NO
MUAGENICITY DETECTED IN AMES ASSAY; CARCINOGENS: NONE PRESENT.
AQUATICE LC50 (RAINBOW TROUT): >1125 MG/L; TLV (TOTAL DUST): 10
MG/M3, 5 MG/M3 (RESPIRABLE DUST) ; PEL: 15 MG/M3 (TOTAL DUST), 5 MG/M3 (RESPIRABLE DUST); STEL: NE; CEILING: NE; XEL: 2.5 MG/M3
(TOTAL DUST, 0.4 MG/M3 (RESPIRABLE DUST).
======================================
Ecological:NONE SPECIFIED BY MANUFACTURER.
======================================
Waste Disposal Methods:WHEN DISPOSED, THIS MATERIAL IS NOT A HAZARDOUS WASTE ACCORDING TO FEDERAL REGULATION 40 CFR 261. STATE AND LOCAL REQUIREMENTS MAY BE MORE RESTRICTIVE. CONSULT WITH LOCAL AND STATE AUTHORITIES FOR FUR THER INFORMATION.

Transport Information: DOT PROPER SHIPPING NAME: NOT REGULATED.

SARA Title III Information:NONE SPECIFIED BY MANUFACTURER. Federal Regulatory Information:NONE SPECIFIED BY MANUFACTURER. State Regulatory Information:NONE SPECIFIED BY MANUFACTURER.

Disclaimer (provided with this information by the compiling agencies): This information is formulated

for use by elements of the Department

of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.