

ATLAS PUTTY PRODUCTS -- GLAZING -- 8030-00-753-5012

=====
Product Identification
=====

Product ID:GLAZING
MSDS Date:05/13/1988
FSC:8030
NIIN:00-753-5012
MSDS Number: CGNGR
=== Responsible Party ===
Company Name:ATLAS PUTTY PRODUCTS
Address:5401 S. KEATING AVE.
City:CHICAGO
State:IL
ZIP:60632
Country:US
Info Phone Num:773-585-2727
Emergency Phone Num:773-585-2727
CAGE:KO361
=== Contractor Identifi
cation ===
Company Name:ATLAS PUTTY PRODUCTS
Address:5401 S. KEATING AVE.
Box:City:CHICAGO
State:IL
ZIP:60632
Country:US
Phone:773-585-2727
CAGE:KO361

=====
Composition/Information on Ingredients
=====

Ingred Name:CALCIUM CARBONATE
CAS:1317-65-3
RTECS #:EV9580000
Fraction by Wt: 100%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:15 MG/M3
ACGIH TLV:10 MG/M3

Ingred Name:TALC
CAS:14807-96-6
RTECS #:MW2700000
Other REC Limits:NONE RECOMMENDED
ACGIH TLV:0.2 MG/M3

Ingred Name:NON-HA

ZARDOUS INGREDIENTS
Other REC Limits:NONE RECOMMENDED
OSHA PEL:NOT RELEVANT
ACGIH TLV:NOT RELEVANT

=====
Hazards Identification
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYE: IRRITATION. SKIN: IRRITATION.
INHAL: RESPIRATORY IRRIT. CHRONIC: PNEUMOCONIOSIS.

=====
First Aid Measures
=====

First Aid:EYE: FLUSH W/WAT
ER. SKIN: WIPE MATERIAL W/CLOTH OR PAPER
TOWEL. WASH W/SOAP AND WATER. INHAL: REMOVE TO FRESH AIR. INGEST:
CALL POISON CONTROL CENTER. IN ALL CASES, GET MED AID.

=====
Fire Fighting Measures
=====

Flash Point:NA
Lower Limits:NA
Upper Limits:NA
Extinguishing Media:USE MEDIA SUITABLE FOR SURROUNDING MATERIALS.
Fire Fighting Procedures:NO SPECIAL PROCEDURES REQUIRED.

=====
Accidental Release Measures
=====

Spill Release Procedures:CLEAN UP W/ABSORBENT MATERIAL.

=====
Handling and Storage
=====

Handling and Storage Precautions:STORE IN A CLOSED CONTAINER.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:IF AIRBORNE PARTICULATES ARE GENERATED, USE A
NIOSH APPROVED DUST/MIST RESPIRATOR.
Ventilation:LOCAL EXHAUST UNDER SOME HANDLING AND USE CONDITIONS.
Protective Gloves:REQUIRED
Eye Protection:CHEMICAL GOGGLES
Supplemental Safety and He

alth
NK

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:NA
Vapor Pres:NA
Vapor Density:NA
Spec Gravity:>1 H2O =1
pH:NE
Evaporation Rate & Reference:NA
Solubility in Water:SLIGHT
Appearance and Odor:WHITE PASTE, SLIGHT ODOR.
Percent Volatiles by Volume:NA

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
NK
Stability Condition to Avoid:STRONG ACIDS

===== Disposal Considerations =====

Waste Disposal Methods:IN ACCORDANCE W/LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.