

WERTH SANITARY SUPPLY COMPANY, INC. -- CLEAN-N-POLISH -- 7930-01-440-0246

===== Product Identification =====

Product ID:CLEAN-N-POLISH

MSDS Date:03/03/1996

FSC:7930

NIIN:01-440-0246

MSDS Number: CGNQV

=== Responsible Party ===

Company Name:WERTH SANITARY SUPPLY COMPANY, INC.

Address:1561 PIONEER WAY

City:EL CAJON

State:CA

ZIP:92020

Country:US

Info Phone Num:800-535-5053

Emergency Phone Num:800-535

-5053

CAGE:5T372

=== Contractor Identification ===

Company Name:WERTH SANITARY SUPPLY CO INC

Address:1561 PIONEER WAY

Box:City:EL CAJON

State:CA

ZIP:92020-1637

Country:US

Phone:800-535-5053/619-440-2000

CAGE:5T372

===== Composition/Information on Ingredients =====

Ingred Name:NON-HAZARDOUS INGREDIENTS

Other REC Limits:NONE RECOMMENDED

OSHA PEL:NOT RELEVANT

ACGIH TLV:NOT RELEVANT

===== Hazards Identification =====

Routes of Entry: Inhalation

:YES Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:EYE: PERMANENT DAMAGE, IRRIT. SKIN:  
IRRIT, DERMATITIS. INHAL: HEADACHE, NAUSEA, IRRIT OF  
NOSE/THROAT/LUNGS.  
Medical Cond Aggravated by Exposure:PRE-EXISTING LUNG DISEASE MAY BE  
AGGRAVATED.

===== First Aid Measures =====

First Aid:EYE: FLUSH W/WATER FOR 15 MINUTES. CONTACT LENSES SHOULD BE  
REMOVED IF INITIAL FLUSH DOESN'T WASH  
THEM OUT. SKIN: WASH W/SOAP &  
WATER. REMOVE CONTAM CLOTHES/SHOES, WASH BEFORE USE. INHAL: REMOVE  
TO FR ESH AIR. INGEST: DRINK TWO GLASSES OF WATER. IN ALL CASES,  
GET IMMED MED AID.

===== Fire Fighting Measures =====

Flash Point Method:SCC  
Flash Point:>300F,>149C  
Autoignition Temp:Autoignition Temp Text:NE  
Lower Limits:NA  
Upper Limits:NA  
Extinguishing Media:FOAM, DRY CHEMICAL, CARBON DIOXIDE, ALCOHOL FOAM,  
WATER FOG, CO2.  
Fire Fighting Procedure  
s:AVOID USE OF WATER.  
Unusual Fire/Explosion Hazard:DENSE SMOKE. FIRE FIGHTERS SHOULD USE  
SCBA.

===== Accidental Release Measures =====

Spill Release Procedures:SPILLS ARE SLIPPERY. ELIMINATE ALL IGNITS.  
DIKE & CONTAIN W/INERT ABSORBENT MATERIAL. COLLECT FOR DISPOSAL.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A DRY AREA. KEEP CONTAINER  
TIGHTLY CLOSED. KEEP FROM FREEZING.  
Other Precauti

ons:KEEP AWAY FROM CHILDREN.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH/OSHA APPROVED RESPIRATOR W/ORGANIC VAPOR CARTRIDGE IF VAPOR CONCENTRATION EXCEEDS PERMISSIBLE EXPOSURE LIMITS.

Ventilation:LOCAL VENTILATION

Protective Gloves:OIL RESISTANT

Eye Protection:SAFETY GLASSES

Other Protective Equipment:EMERGENCY SAFETY SHOWER & EYE WASH FOUNTAIN NEAR WORK AREA.

Supplemental Safety and Health  
NK

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:>212F,>100C

Vapor Pres:20.0

Vapor Density: