

COURTAULDS AEROSPACE -- 513X408B WATERBORNE PRI YELLOW -- 8010-01-441-6032

=====  
Product Identification  
=====

Product ID:513X408B WATERBORNE PRI YELLOW

MSDS Date:04/23/1996

FSC:8010

NIIN:01-441-6032

Kit Part:Y

MSDS Number: CGYBV

=== Responsible Party ===

Company Name:COURTAULDS AEROSPACE

Address:5430 SAN FERNANDO ROAD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Info Phone Num:818-240-206

0

Emergency Phone Num:800-228-5635/800-424-9300 CHEMTREC

CAGE:83574

=== Contractor Identification ===

Company Name:PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Phone:818-240-2060

CAGE:83574

=====  
Composition/Information on Ingredients  
=====

Ingred Name:EPOXY RESIN

CAS:25068-38-6

RTECS #:KC2100000

Fraction by Wt: 20.0%

Other REC Limits:NONE RECOMMENDED

Ingred Name:\*2-PROPOXYETHANOL ET

HANOL,2-PROPOXY VP = 1.3  
CAS:2807-30-9  
RTECS #:KM2800000  
Fraction by Wt: 10.0%  
Other REC Limits:NONE RECOMMENDED  
ACGIH TLV:25 PPM

Ingred Name:STRONTIUM CHROMATE (SARA 313) (CERCLA)  
CAS:7789-06-2  
RTECS #:GB3240000  
Fraction by Wt: 15.0%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:STEL .05MG/M3  
ACGIH TLV:0.0005MG(CR)/M3  
EPA Rpt Qty:10 LBS  
DOT Rpt Qty:10 LBS

Ingred Name:TITANIUM DIOXIDE  
CAS:13463-67-7  
RTECS #:XR2275000  
Fraction by Wt: 200F,>93C  
Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, FOAM

Fire Fighting Procedures:WATER SPRAY INEFFECTIVE. COOL FIRE EXPOSED  
CONTAINERS W/WATER, FOG NOZZLES PREFERRED. WEAR NIOSH/MSHA SCBA &  
PROTECTIVE CLOTHING. PREVENT CONTACT W/SKIN/EYES.  
Unusual Fire/Explosion Hazard:VAPORS MAY ACCUMULATE, FORM EXPLOSIVE  
MIXTURES, TRAVEL, FLASH BACK OR FLAME MAY OCCUR. CLOSED CONTAINERS  
MAY EXPLODE WHEN EXPOSED TO EXTREME HEAT.

===== Accidental Release Measures =====

Spill Release Procedures:PROTECT FROM IGNITS. WEAR  
AIR-SUPPLIED  
RESPIRATOR. COVER W/ABSORBENT MATERIAL. SCOOP INTO CONTAINER. CLEAN  
RESIDUE W/SUITABLE SOLVENT. CERCLA RQ FOR STRONTIUM CHROMATE 10  
LBS.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP CONTAINER TIGHTLY CLOSED. ISOLATE  
FROM HEAT, ELECTRICAL EQUIP, SPARKS, FLAME. DONT STORE ABOVE 120F.  
Other Precautions:EMPTY DRUMS MAY CONTAIN EXPLOSIVE VAPORS. DO NOT  
CUT/PUNCTURE/WELD. VAPORS >AIR, MAY COLLECT IN LOW/CON

FINED AREAS.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:WHEN SPRAYING/APPLYING, MAY PRODUCE HAZARDOUS INGREDIENTS IN EXCESS OF TLV. USE ORGANIC VAPOR CARTRIDGE OR AIR-SUPPLIED RESPIRATOR.

Ventilation:GENERAL VENT TO MAINTAIN VAPORS BELOW TLV AND PEL.

Protective Gloves:SOLVENT RESISTANT

Eye Protection:GOGGLES OR FULL FACE SHIELD.

Other Protective Equipment:AVOID SKIN CONTACT, USE PROTECTIVE CLOTHING.

Work Hygienic Practices:SAFETY SHOWER, EYEBATH AND WASHING FACILITIES SHOULD BE AVAILABLE.

Supplemental Safety and Health  
NK

=====  
===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:212 TO 301F

Melt/Freeze Pt:M.P/F.P Text:NA

Decomp Temp:Decomp Text:NA

Vapor Pres:NA

Vapor Density:>AIR

Spec Gravity:1.267

VOC Pounds/Gallon:340

pH:NA

Evaporation Rate & Reference:NA

Solubility in Water:NA

Appearance and Odor:YELLOW LIQUID, SOLVENT ODOR.

Percent Volatiles by Volume:63.2

Corrosion Rate:NA

=====  
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
NONE

Stability Condition to Avoid:NONE

Hazardous Decomposition Products:CARBON DIOXIDE AND CARBON MONOXIDE

=====  
===== Disposal Considerations =====

Waste Disposal Methods:IN ACCORDANCE W/FEDERAL, STATE AND LOCAL REGULATIONS.

=====  
===== Other Information =====

Disclaimer (provided with this information by the compiling agency)

s):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.