

EASTMAN KODAK -- 156 4814 KODAK FIRST DEVELOPER REPLENISHER, PROCESS E-6 --  
6750-01-043-4672

===== Product Identification =====

Product ID:156 4814 KODAK FIRST DEVELOPER REPLENISHER, PROCESS E-6

MSDS Date:12/19/1997

FSC:6750

NIIN:01-043-4672

MSDS Number: CHHQQ

=== Responsible Party ===

Company Name:EASTMAN KODAK

Address:343 STATE STREET

City:RODCHESTER

State:NY

ZIP:14650

Country:US

Info Phone Num:

716-722-5151/800-242-2424

Emergency Phone Num:716-722-5151/800-242-2424

CAGE:5K871

=== Contractor Identification ===

Company Name:EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

Address:343 STATE ST

Box:City:ROCHESTER

State:NY

ZIP:14650-1115

Country:US

Phone:716-722-5151/(800) 242-2424

CAGE:19139

Company Name:EASTMAN KODAK CO US CUSTOMER SERVICE/GOVERNMENT SALES

Address:800 LEE RD

Box:City:ROCHESTER

State:NY

ZIP:14650-3129

Country:US

Phone:800-828-6203

CAGE:5K871

===== Composition/Inform

ation on Ingredients =====

Ingred Name:WATER  
CAS:7732-18-5  
RTECS #:ZC0110000  
Fraction by Wt: 60-70%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:NOT RELEVANT  
ACGIH TLV:NOT RELEVANT

Ingred Name:POTASSIUM SULFITE  
CAS:10117-38-1  
RTECS #:WT3530000  
Fraction by Wt: 10-15%  
Other REC Limits:NONE RECOMMENDED

Ingred Name:POTASSIUM CARBONATE  
CAS:584-08-7  
RTECS #:TS7750000  
Fraction by Wt: 5-10%  
Other REC Limits:NONE RECOMMENDED

Ingred Name:POTASSIUM HYDROQUINONE MONOSULFONATE  
CAS:21799-87-1  
Fract  
ion by Wt: 5-10%  
Other REC Limits:NONE RECOMMENDED

Ingred Name:SODIUM CARBONATE  
CAS:497-19-8  
RTECS #:VZ4050000  
Fraction by Wt: 1-5%  
Other REC Limits:NONE RECOMMENDED

Ingred Name:HYDROXYMETHYL-4-METHYL-1-PHENYL-3-PYRAZOLIDONE  
CAS:13047-13-7  
Fraction by Wt: 212F,>100C  
Vapor Pres:18 MMHG  
Vapor Density:0.6  
Spec Gravity:1.29  
pH:9.7  
Solubility in Water:COMPLETE  
Appearance and Odor:LIQUID. AMBER. SLIGHTLY SWEET ODOR.  
Percent Volatiles by Volume:60-65

===== Stability and Reactivity Data

=====

Stability Indicator/Materials to Avoid: YES  
STRONG ACIDS.  
Stability Condition to Avoid: STABLE.  
Hazardous Decomposition Products: CARBON DIOXIDE, CARBON MONOXIDE,  
SULFUR DIOXIDE.

===== Disposal Considerations =====

Waste Disposal Methods: DISCHARGE, TREATMENT OR DISPOSAL IS SUBJECT TO  
NATIONAL, STATE OR LOCAL LAWS. FLUSH TO SEWER WITH LARGE AMOUNTS OF  
WATER. SINCE EMPTIED CONTAINERS RETAIN PRODUCT RESIDUE, FOLLOW  
LABEL WARNINGS EVEN AFTER CONTAINER IS EMPTIED.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.