View NSN Online: https://aerobasegroup.tw/nsn/6840-01-380-5779

Product ID:CIDEX PLUS SOLUTION STRIPS 2924

MSDS Date:08/09/1994

FSC:6840

NIIN:01-380-5779 Status Code:A

MSDS Number: CJDBW === Responsible Party ===

Company Name: JOHNSON & JOHNSON MEDICAL, INC

Box:90130

City:ARLINGTON

State:TX

ZIP:76004-3130 Country:US

Info Phone Num:800-423-585

0

Emergency Phone Num:800-423-5850 Preparer's Name:REGULATORY AFFAIRS

CAGE:TO010

=== Contractor Identification ===

Company Name: JOHNSON & JOHNSON MEDICAL INC. (SUB OF JOHNSON & JOHNSON)

Address:2500 ARBROOK BOULEVARD

Box:City:ARLINGTON

State:TX ZIP:76014 Country:US

Phone:800-433-5170

CAGE:52780

Company Name: JOHNSON & JOHNSON MEDICAL, INC

Address:Box:90130 City:ARLINGTON

State:TX

ZIP:76004-3130 Country:US

Phone:800-423-5850

CAGE:TO010

====== Composition/Information on Ingredients =====

====== Ingred Name: GLYCINE CAS:56-40-6 RTECS #:MB7600000 Ingred Name:SODIUM SULFITE CAS:7757-83-7 RTECS #:WE2150000 =========== Hazards Identification ========================== LD50 LC50 Mixture:LD50: 7930 MG/M3 Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO ============ Fire Fighting Measures ========================= Extinguishing Media: AS FOR SURROUNDING FIRE. USE CARBON DIOXIDE OR DRY CHMICAL FOR SMALL FIRES . USE FOAM (ALCOHOL, POLYMER, OR ORDINARY) OR WATER FOG FOR LARGE FIRES. ======== Accidental Release Measures ============ Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER. ============ Handling and Storage =========================== Handling and Storage Precautions: KEEP CAP TIGHTLY CLOSED. STORE AT CONTROLLED ROOM TEMPERATURE (1-30C; 59-86F) AND IN ADRY PLACE. DO NOT REMOVE DESSICANT. KEEP DESSICANT OUT OF REACH OF CHILDREN. Other Precautions: NONE SPECI FIED BY MANUFACTURER. ===== Exposure Controls/Personal Protection ========

Respiratory Protection: STANDARD ROOM VENTILATION, AIR CONDITIONING OR NATURAL DRAFT RECOMMENDED WHEN HANDLING CONTAINER OF CIDEX PLUS 23 DAY SOLUTION THAT IS BEING TESTED WITH CIDEX PLUS SOLUTION TEST STRIP.

Ventilation: NONE REQUIRED

Protective Gloves:LATEX RUBBER GLOVES RECOMMENDED FOR HANDLING CONTAINER OF CIDEX PLUS SOLUTION.

Eye Protection: SAFETY GLASSES RECOMMENDED.

Other Protective E

quipment:NONE SPECIFIED BY MANUFACTURER. Work Hygienic Practices:AVOID CONTAMINATION OF FOOD. Supplemental Safety and Health NONE SPECIFIED BY MANUFACTURER.
======== Physical/Chemical Properties =========
HCC:N1 Spec Gravity:NA Appearance and Odor:TEST STRIPS (POLYESTER SHEET W/WHITE REAGENT PAD) CONTAINED IN HDPE BOTTLE.
========= Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES NONE Stability Condition to Avoid:M OISTURE-DO NOT REMOVE DESSICANT, KEEP
BOTTLE TIGHTLY CLOSED. STORE IN A DRY PLACE. Hazardous Decomposition Products:SULFUR OXIDES, NITROGEN OXIDES, CARBON MONOXIDE.
Conditions to Avoid Polymerization:WILL NOT OCCUR.
=========== Toxicological Information ============
Toxicological Information:NONE SPECIFIED BY MANUFACTURER.
======== Ecological Information ===========
Ecological:NONE SPECIFIED BY MANUFACTURER.
======= Disposal Con siderations ====================================
Waste Disposal Methods:DISPOSE USED OR EXPIRED TEST STRIPS, PLASTIC BOTTLE AND SILICA GEL DESSICANT IN TRASH RECETACLE IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL LAWS.
======== MSDS Transport Information ==========
Transport Information:NONE SPECIFIED BY MANUFACTURER.
=========== Regulatory Information =============
SARA Title III Information:NONE SPECIFIED BY MANUFACTURER. Federal Regulatory Information:RE

PORTABLE QUANTITY: NONE. EPA HAZARDOUS WASTE NUMBER: NONE.

State Regulatory Information: NONE SPECIFIED BY MANUFACTURER.

============= Other Information ================

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.