DAP INC CAULK 8030-01-347-0969
======================================
Product ID:CAULK
MSDS Date:04/25/1994
FSC:8030
NIIN:01-347-0969
Status Code:A
MSDS Number: CKRGN
=== Responsible Party ===
Company Name:DAP INC
Box:277
City:DAYTON
State:OH
ZIP:45401-0277
Country:US
Info Phone Num:1-800-535-5053
Emergency Phone Num:1800-535-5053
CAGE:90300
=== Contractor Identification ===
Company Name:DAP IN
C.
Box:277
City:DAYTON
State:OH
ZIP:45401-0277
Country:US
Phone:513-253-7154/800-543-3840
CAGE:90300
======= Composition/Information on Ingredients ========
In arred Name (ALL INCREDIENTS ARE NOT RECLIFATED BY OCHA AND ARE
Ingred Name:ALL INGREDIENTS ARE NOT REGULATED BY OSHA AND ARE
CONSIDERED TRADE SECRETS.
======================================
======================================
Health Hazards Acute and Chronic:PROLONGED OR REPEATED CONTACT WITH
SKIN MAY CAUSE IRRITATION.
Medical Cond Aggravated by Exposure:
Medical Cond Aggravated by Exposure.
======================================
• "

View NSN Online: https://aerobasegroup.com/nsn/8030-01-347-0969

st Aid Measures ==============
First Aid:INHALATION: REMOVE TO FRESH AIR. CONTACT A PHYSICIAN IMMEDIATELY INGESTION: DO NOT INDUCE VOMITING. CONTACT A PHYSICIAN OR REGIONAL POISON CONTROL CENTER IMMEDIATELY.
======================================
Flash Point Method:SCC Flash Point:>93.3C, 200.F 200F
Extinguishing Media:FOAM, WATER, DRY CHEMICALS.
========= Accidental Release Measures ==========
Spill Release Procedures: USE ABSORBENT MATERIAL OR SCRAPE UP DRIED MATERIAL AND PLACE INTO CONTAINERS.
============ Handling and Storage ============
Handling and Storage Precautions:STORE AWAY FROM CAUSTICS AND OXIDIZERS. SPECIAL HANDLING/ STORAGE: KEEP CONTAINERS AWAY FROM EXCESSIVE HEAT AND FREEZING. KEEP CONTAINERS TIGHTLY CLOSED WHEN NOT IN USE. DO NOT STORE AT TEMPERA TURES ABOVE 120' F. KEEP OUT OF REACH OF CHILDREN.
====== Exposure Controls/Personal Prot ection ========
Ventilation:NORMAL ROOM VENTILATION. Protective Gloves:RECOMMENDED FOR PROLONGED OR REPEATED CONTACT WITH

Eye Protection: SAFETY GLASSES WITH SIDE SHIELDS RECOMMENDED. Work Hygienic Practices: WASH CONTAMINATED CLOTHING BEFORE REUSE Supplemental Safety and Health

======== Physical/Chemical Properties ==========

Vapor Pres:17.5 MM HG @ 68'F

Vapor Density: