

FLAMEMASTER CORP THE CHEM SEAL DIV -- CS 2415 CLASS B (PART A) -- 8030-00-782-1420

=====
Product Identification
=====

Product ID:CS 2415 CLASS B (PART A)

MSDS Date:07/02/1997

FSC:8030

NIIN:00-782-1420

Status Code:A

MSDS Number: CKVFC

=== Responsible Party ===

Company Name:FLAMEMASTER CORP THE CHEM SEAL DIV

Address:11120 SHERMAN WAY

City:SUN VALLEY

State:CA

ZIP:91352-4949

Country:US

Info Phone Num

:818-982-1650

Emergency Phone Num:(800)424-9300

Preparer's Name:HERBERT MOORE

Chemtec Ind/Phone:(800)424-9300

CAGE:14439

=== Contractor Identification ===

Company Name:FLAMEMASTER CORP THE CHEM SEAL DIV

Address:11120 SHERMAN WAY

Box:City:SUN VALLEY

State:CA

ZIP:91352-4949

Country:US

Phone:818-982-1650

CAGE:14439

=====
Composition/Information on Ingredients
=====

Ingred Name:LIQUID POLYSULFIDE POLYMER

CAS:68611-50-7

= Wt:71.

=====
Hazards Identification
=====

=====

Health Hazards Acute and Chronic:POSSIBLE SKIN IRRITATION AFTER
PROLONGED CONTACT, WITH RESULTING DERMATITIS. NOT CONSIDERED TO BE
A PRIMARY SKIN IRRITANT.

Effects of Overexposure:SKIN OR IRRITATION.

===== First Aid Measures =====

First Aid:EYES-FLUSH WITH LARGE AMOUNTS OF WATER, CONSULT PHYSICIAN.
SKIN-WASH WITH SOAP AND WATER. INGESTION- INDUCE VOMITING,
CONSULT PHYSICIAN.

===== Fire Fighting Measu
res =====

Flash Point Method:TCC
Flash Point:=93.3C, 200.F
200F

Extinguishing Media:DRY CHEMICAL, FOAM, CO2, WATER.

===== Accidental Release Measures =====

Spill Release Procedures:SCOOP UP AND TRANSFER TO CONTAINER FOR
REACTION WITH CURING AGENT. CLEANUP RESIDUE WITH AEROMATIC
NAPHTHA/SAND/SWEEPING COMPOUND. WASH AREA WITH SOAP AND WATER.

===== Handling and Storage =====

Handling and Storage Precautions
:STORE IN COOL DRY AREA AWAY FROM
STRONG ACIDS.

Other Precautions:WASH HANDS BEFORE EATING, SMOKING OR DRINKING AFTER
HANDLING THIS PRODUCT.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE

Ventilation:LOCAL EXHAUST: AIR. MECHANICAL: FAN.

Protective Gloves:RUBBER

Eye Protection:SAFETY GLASSES

Other Protective Equipment:APPROPRIATE TO AVOID PROLONGED CONTACT.

Work Hygienic Practices:TRAIN EMPLOYEES IN SAFE HANDLING OF THIS
PRODUCT.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

Vapor Pres:NIL

Vapor Density:NIL

Spec Gravity:1.48

pH:8

Evaporation Rate & Reference:1

Solubility in Water:NEGLEGABLE

Appearance and Odor:ALUMINUM PASTE, POLYSULFIDE ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS AND STRONG ACIDS

Stability Condition to Avoid:OPEN FLAME

Hazardous Decomposition Produ

cts:H2S, CO, CO2, SO2, SMOKE.

===== Disposal Considerations =====

Waste Disposal Methods:REACT WITH CURING AGENT AND DISPOSE AS HAZARDOUS WASTE, NON-MIX , NON-HAZARDOUS.

===== MSDS Transport Information =====

Transport Information:SHIPPING NAME: ADHESIVE N.O.S. HAZARD CLASS:

NON-HAZARDOUS UNIT CAONTAINER: 12 OZ IN 16 OZ METAL CAN. US

POSTAL REGULATIONS: PARA 124.142 HARMFUL MATTER. DISPOSAL INFO:

INCINERATI

ON OR LAN D DISPOSAL, MIXED WITH PART B, HAZARDOUS WASTE,

NON-MIX, NON-HAZARDOUS. EPA CODE: CADO62064746. WASTE

CHARACTERISTICS: SLUDGE. DISPOSAL METHODS: INCINERATION OR LAND

DISPOSAL, DISPOSE WASTE ACCOR DING TO FEDERAL, STATE AND LOCAL

REGULATIONS. APPLICABLE REGULATIONS: 49 CFR, IMO, IATA.

===== Other Information =====

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use b

y elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.