

EXAXOL CHEMICAL CORP. -- TBN CALIBRATION OIL STANDARD -- 6850-01-470-1234

===== Product Identification =====

Product ID:TBN CALIBRATION OIL STANDARD

MSDS Date:01/19/1996

FSC:6850

NIIN:01-470-1234

Status Code:A

MSDS Number: CKWGW

=== Responsible Party ===

Company Name:EXAXOL CHEMICAL CORP.

Address:14325 60TH STREET

City:CLEARWATER

State:FL

ZIP:34620

Country:US

Info Phone Num:727-524-7732

Emergency

Phone Num:727-524-7732

CAGE:TO410

=== Contractor Identification ===

Company Name:EXAXOL CHEMICAL CORP.

Address:14325 60TH STREET

City:CLEARWATER

State:FL

ZIP:34620

Country:US

Phone:727-524-7732

CAGE:TO410

Company Name:MICROSENSOR SYSTEMS, INC.

Address:1818 S HWY 441

Box:UNKNOW

City:APOPKA

State:FL

ZIP:32703

Country:US

Phone:407-886-8860

Contract Num:SP0411-01-M-E436

CAGE:0GLR6

===== Composition/Information on Ingredients =====

Ingred Name:DEWAXED HEAVY PARAFINIC DISTILLATE (P

ETROLEUM)
CAS:64742-65-0
RTECS #:PY8038500
= Wt:100.

===== Hazards Identification =====

LD50 LC50 Mixture:LD50: UNAVAILABLE

Health Hazards Acute and Chronic:MAY BE HARMFUL OR FATAL BY INHALATION, INGESTION, OR SKIN ABSORPTION. CAUSES IRRITATION TO EYES, MUCOUS MEMBRANES, AND RESPIRATORY TRACT. TOXICOLOGICAL PROPERTIES OF BLENDED COMPOUNDS HAVE NOT YET BEE N WELL DEFINED AND NEW HAZARDOUS PRODUCTS MAY ARISE FROM REACTIONS BETWEEN CHEMICALS.

Expl

anation of Carcinogenicity:NONE PROVIDED BY MFR

Effects of Overexposure:CAUSES IRRITATION TO EYES, MUCOUS MEMBRANES, AND RESPIRATORY TRACT.

Medical Cond Aggravated by Exposure:NONE PROVIDED BY MFR

===== First Aid Measures =====

First Aid:IN CASE OF CONTACT, IMMEDIATELY FLUSH EYES, SKIN WITH COPIOUS AMOUNTS OF WATER FOR AT LEAST 15 MINS. WHILE REMOVING CONTAMINATED CLOTHING. IF INHALED, REMOVE TO FRESH AIR. IF NOT BREATHING, GIVE ARTIF ICIAL RESPIRATION. IF BREATHING IS DIFFICULT, GIVE OXYGEN. IF SWALLOWED, WASH OUT MOUTH PROVIDED PERSON IS CONSCIOUS. CALL A POISON CONTROL CENTER OR A PHYSICIAN!!

===== Fire Fighting Measures =====

Extinguishing Media:DRY CHEMICAL POWDER OR APPROPRIATE FOAM, OR CARBON DIOXIDE.

Fire Fighting Procedures:FOR FIRE FIGHTING, WEAR SELF CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING TO PROTECT AGAINST HEAT/FUMES.

Unusual Fire/Explosion Hazard:E
MITS TOXIC FUMES UNDER FIRE CONDITIONS.

===== Accidental Release Measures =====

Spill Release Procedures:WEAR SELF CONTAINED BREATHING APPARATUS, AND RUBBER GLOVES. COVER WITH SAND. PLACE IN CLOSED CONTAINER AND HOLD FOR PROPER WASTE DISPOSAL. VENTILATE AREA WELL AFTER MATERIAL IS PICKED UP, WASH SITE.

===== Handling and Storage =====

Handling and Storage Precautions:WEAR APPROVED RESPIRATOR, CHEMICAL RESISTANT GL

OVES/CLOTHING, SAFETY GLASSES, AND HANDLE NEAR SAFETY
SHOWER AND EYE WASH. USE WITH ADEQUATE VENTILATION OR FUME HOOD. DO
NOT CONTACT WITH SKIN. STORE IN A COOL, DRY PLACE. WASH THOROUGHLY
AFTER HANDLING.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:SELF CONTAINED BREATHING APPARATUS.

Ventilation:USE WITH ADEQUATE VENTILATION OR FUME HOOD.

Protective Gloves:CHEMICAL RESISTANT GLOVES.

Eye Protection:SAFETY GLASSES.

Other Protective Equi

pment:CHEMICAL RESISTANT CLOTHING. SAFETY SHOWER,
EYE WASH.

Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING.

Supplemental Safety and Health

PRODUCT: TBN CALIBRATION OIL STANDARD.

===== Physical/Chemical Properties =====

HCC:N1

Spec Gravity:0.88

Appearance and Odor:AMBER LIQUID.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

OXIDIZERS.

===== Toxicological Information =====

=====

Toxicological Information:TOXICOLOGICAL PROPERTIES OF BLENDED COMPOUNDS
HAVE NOT YET BEEN WELL DEFINED AND NEW HAZARDOUS PRODUCTS MAY ARISE
FROM REACTIONS BETWEEN CHEMICALS.

===== Other Information =====

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, wa

rrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.