

INDUSTRIAL FLOOR FINISHES -- PN-725 POLISH, FURNITURE, 40% OIL -- 7930-00-205-2876

=====  
Product Identification  
=====

Product ID:PN-725 POLISH, FURNITURE, 40% OIL  
MSDS Date:06/01/1994  
FSC:7930  
NIIN:00-205-2876  
Status Code:A  
MSDS Number: CLBSG  
=== Responsible Party ===  
Company Name:INDUSTRIAL FLOOR FINISHES  
Address:605 SPRINGS ROAD  
City:BEDFORD  
State:MA  
ZIP:01730  
Country:US  
Info Phone Num:508-667-5161  
Emergency Phone Num:800-255-3924 OR POISON CENTER  
Preparer's Name:T PITROFFY  
CAGE:0J4J4  
=== Contractor Identification ===  
Company Name:PERMA, INCORPORATED  
Address:605 SPRINGS ROAD  
Box:City:BEDFORD  
State:MA  
ZIP:01730  
Country:US  
Phone:978-667-5161  
CAGE:0J4J4

=====  
Composition/Information on Ingredients  
=====

Ingred Name:NOT A HAZARDOUS MATERIAL AS PER 29 CFR 1910, 1200 AND M G L  
C 111 F.  
RTECS #:1000314NH  
Other REC Limits:NONE SPECIFIED

=====  
Hazards  
=====

Identification =====

Routes of Entry: Inhalation:NO Skin:NO Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:ACUTE: MAY IRRITATE EYES. CHRONIC:  
NONE KNOWN.  
Effects of Overexposure:MAY BE DEFATTING TO SKIN.

===== First Aid Measures =====

First Aid:WASH WITH SOAP AND WATER. IF DIGESTED, INDUCE VOMITING WITH  
OIL OF IPECAC.

===== Fire Fighting Measures =====

=====

Flash Point:>300F,>149C  
Extinguishing Media:WATER SPRAY  
Fire Fighting Procedures:BLANKET WITH WATER SPRAY, FROTHING MAY OCCUR

===== Accidental Release Measures =====

Spill Release Procedures:PICK UP WITH MOP OR WET VACUUM. RINSE WITH  
SOAP AND WATER.

===== Handling and Storage =====

Handling and Storage Precautions:PROTECT FROM FREEZING.  
Other Precautions:KEEP AWAY FROM CHILDREN.

===== Exposure Controls/  
Personal Protection =====

Protective Gloves:RECOMMENDED  
Eye Protection:RECOMMENDED  
Other Protective Equipment:NOT REQUIRED WHEN USED AS DIRECTED.  
Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:B3  
Boiling Pt:=100.C, 212.F  
Vapor Pres:17 MM HG  
Vapor Density:1 AIR=1  
Spec Gravity:0.92 (WATER=1)  
pH:8.2 +/- .5  
Viscosity:2000 CPS  
Evaporation Rate & Reference:0.3 BUAC=1  
Solubility in Water:DISPERSIBLE  
Appearance and Odor:MILKY, VISCO

US LIQUID, PLEASANT ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES

ACIDS

===== Disposal Considerations =====

Waste Disposal Methods: PICK UP WITH ABSORBENT MATERIAL, COLLECT INTO METAL CONTAINER FOR DISPOSAL. NOT A HAZARDOUS WASTE.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The

United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.