

INLAND TECHNOLOGY INCORPORATED -- FS100, SKYSOL 100 -- 6850-01-381-4401

=====
Product Identification
=====

Product ID:FS100, SKYSOL 100
MSDS Date:08/03/1998
FSC:6850
NIIN:01-381-4401
Status Code:A
MSDS Number: CLFPW
=== Responsible Party ===
Company Name:INLAND TECHNOLOGY INCORPORATED
Address:401 E 27TH STREET
City:TACOMA
State:WA
ZIP:98421
Country:US
Info Phone Num:800-552-3100
Emergency Phone Num:800-552-3100 800-255-3924
Resp. Party Other MSDS Num.:MSDS NO. 03151
CAGE:0K209
=== Contractor Identification ===
Address:401 E 27TH STREET
Box:City:TACOMA
State:WA
ZIP:98421-1203
Country:US
Phone:800-552-3100/253-383-1177
Contract Num:SP0450-01-M-ZD28
CAGE:0K209

=====
Composition/Information on Ingredients
=====

Ingred Name:C12-C13 PARAFFINIC HYDROCARBON
CAS:64742-48-9

Ingred Name:D-LIMONENE
CAS:5989-27-5
RTECS #:GW6360000

=====
Hazards Identification
=====

=====
Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE: PRODUCT CONTACTING THE EYES MAY CAUSE EYE IRRITATION. LOW ORDER ACUTE ORAL AND DERMAL TOXICITY. CHRONIC: PROLONGED OR REPEATED EXPOSURE CAN LEAD TO MILD IRRITATION, DEFATTING AND DERMATITIS.
Explanation of Carcinogenicity:CARCINOGENIC INGREDIENTS: NONE.
Effects of Overexposure:EYE IRRITATION. SKIN IRRITATION, DEFATTING, DERMATITIS.
Medical Cond Aggravated by Exposure:MAY AGGRAVATE EXISTING DERMATITIS.

=====
First Aid Measures

First Aid:EYES: IF EYE CONTACT OCCURS, FLUSH WITH WATER FOR AT LEAST 15 MINUTES OR UNTIL IRRITATION SUBSIDES. IF IRRITATION PERSISTS, CONTACT PHYSICIAN. SKIN: IN CASE OF SKIN CONTACT, REMOVE ANY CONTAMINATED CLOTHING AND WASH SKIN THOROUGHLY WITH SOAP AND WATER. INHALATION: IF OVERCOME BY VAPOR, REMOVE FROM EXPOSED AREA AND CALL PHYSICIAN IMMEDIATELY. INGESTION: DO NOT INDUCE VOMITING, CALL PHYSICIAN IMMEDIATELY. IN ALL CASES, IF CONDITIONS PERSIST GET MEDICAL ATTENTION.

=====
Fire Fighting Measures

Flash Point Method:PMCC
Flash Point:63.3C, 146.F
Lower Limits:0.6
Upper Limits:7
Extinguishing Media:FOAM, WATER SPRAY, DRY CHEMICAL, CARBON DIOXIDE.
Fire Fighting Procedures:WEAR AIR SUPPLIED BREATHING EQUIPMENT FOR ENCLOSED AND CONFINED SPACES OR AS OTHERWISE NEEDED.
Unusual Fire/Explosion Hazard:NONE KNOWN.

=====
Accidental Release Measures

Spill Release Procedures:SHUT OFF AND ELIMINATE ALL IGNITABLE SOURCES. CONTAIN AND COLLECT MATERIAL. ABSORB RESIDUE.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====
Handling and Storage

Handling and Storage Precautions:USE AND STORE AWAY FROM HEAT, SPARKS, OPEN FLAME. KEEP CONTAINER SEALED WHEN NOT IN USE. READ

AND

UNDERSTAND ALL CAUTIONS, LABELS, AND MSDS BEFORE USING PRODUCT.
HYGIENE PRACTICES: DO NOT HAVE FOOD OR DRINK IN THE VICINITY.
MINIMIZE BREATHING VAPOR OR MIST. AVOID PROLONGED OR REPEATED SKIN CONTACT.

Other Precautions:KEEP ALL CHEMICALS OUT OF THE REACH OF CHILDREN. WASH CONTAMINATED CLOTHING BEFORE REUSE.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NORMALLY REQUIRED.

Ventilation:USE MECHANICAL DILUTION VENTILATION
WHENEVER PRODUCT IS

USED IN CONFINED SPACE, IS HEATED ABOVE AMBIENT TEMPERATURE OR IS AGITATED.

Protective Gloves:USE CHEMICAL REISISTANT GLOVES.

Eye Protection:USE SPLASH GOGGLES OR FACE SHIELD WHEN EYE CONTACT MAY OCCUR.

Other Protective Equipment:PROVIDE EYE WASH OR STERILE EYE RINSE.

Work Hygienic Practices:DO NOT HAVE FOOD OR DRINK IN THE VICINITY.
MINIMIZE BREATHING VAPOR OR MIST. AVOID PROLONGED OR REPEATED CONTACT WITH SKIN. WASH CONTAMINATED CLOTHING BEFORE REUSE.

S
upplemental Safety and Health

=====
===== Physical/Chemical Properties =====

HCC:V4

Boiling Pt:=171.1C, 340.F

Vapor Pres:5(AIR=1)

Spec Gravity:0.78 (H2O=1)

Evaporation Rate & Reference: