

ARTHUR C WITHROW CO -- 3V3 SAE 30 -- 9150-00-188-9858

=====
Product Identification
=====

Product ID:3V3 SAE 30

MSDS Date:01/01/1985

FSC:9150

NIIN:00-188-9858

MSDS Number: BDHLZ

=== Responsible Party ===

Company Name:ARTHUR C WITHROW CO

Emergency Phone Num:213-771-7000

CAGE:KO541

=== Contractor Identification ===

Company Name:ARTHUR C WITHROW CO

CAGE:KO541

Company Name:AUTHUR C. WITHROW CO.

Address

s:5511 DISTRICT BLVD

Box:City:LOS ANGELES

State:CA

ZIP:90040-2817

Country:US

Phone:213-771-7000

CAGE:3R443

=====
Composition/Information on Ingredients
=====

Ingred Name:ORGANIC ADDITIVES

Ingred Name:PETROLEUM OIL

=====
Hazards Identification
=====

Effects of Overexposure:EYE: IRRIT. AVOID SKIN CNTCT. LOW ORDER OF TOXICITY & IRRIT.

=====
First Aid Measures
=====

First Aid:EYES: IF LIQ CNTCTS EYES

, FLUSH PROMPTLY W/PLENTY WATER UNTIL
ANY IRRIT SUBSIDES. GET MD. SKIN: WASH THOROUGHLY W/SOAP & WATER.

=====
Fire Fighting Measures
=====

Flash Point:435F OC
Extinguishing Media:FOAM, DRY CHEM, CO*2, WATER SPRAY, WATER FOG
Fire Fighting Procedures:USE WATER SPRAY TO COOL EXPOSED SURFACES &
PROT PERSONNEL

=====
Accidental Release Measures
=====

Spill Release Procedures:KEEP PUBLIC AWAY. SHUT OFF SOURCE W/O DELAY &
W/PR
OPER CARE. RECOVER FREE LIQ BY PUMPING &/OR CONTAIN & ABSORB
SPILLED MATL W/OIL ABSORBENT, SAND OR EARTH, & SWEEP.

=====
Handling and Storage
=====

Handling and Storage Precautions:KEEP CNTNR CLOSED WHEN NOT IN USE. DO
NOT STORE NEAR FLAME, HEAT, STRONG OXIDANTS.
Other Precautions:AVOID PROLONGED/REPEATED SKIN CNTCT. AVOID BRTHNG OIL
MISTS. WASH THOROUGHLY AFTER HANDLING.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:USUALLY NOT NEEDED. IF NEC, USE NIOSH/MSHA APPRV
RESP DEVICE.
Ventilation:MFR STATES USUALLY NOT NEEDED IN OPEN, UNCONFINED AREAS
Protective Gloves:OIL RESIST
Eye Protection:SAFETY GOGGLES/GLASSES
Other Protective Equipment:USUALLY NOT NEEDED
Supplemental Safety and Health
% VOLATILE BY VOLUME:NEGLEGIBLE.BOILING PT:NOT DETERMINED.

=====
Physical/Chemical Properties
=====

HCC:V6
Spec Gravity:0.8920
Evaporation Rate & Reference:NEGLIGIBLE
Solu

bility in Water:NEGLIGIBLE

Appearance and Odor:OILY BROWN LIQ, MILD ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

CONC FORMS OF OXIDIZING AGENTS

===== Disposal Considerations =====

Waste Disposal Methods:INCINERATE OR USE APPRVD LANDFILL IF IAW FED,
STATE, LOCAL

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of
the Department

of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.