View NSN Online: https://aerobasegroup.tw/nsn/1377-01-084-2455

Product ID:CABLE CUTTER,4588 MSDS Date:10/25/1991 FSC:1377 NIIN:01-084-2455 **MSDS Number: BPZTS** === Responsible Party === Company Name:WHITTAKER ORDNANCE Address:2751 SAN JUAN ROAD City:HOLLISTER State:CA ZIP:95023 Country:US Info Phone Num:408-637-5851 Emergency Phone Num:800-255-3924 (CHEM-TEL,INC) Prep arer's Name: JIM HART CAGE:IO940 === Contractor Identification === Company Name: UNITED TECHNOLOGIES INC. SIKORSKY AIRCRAFT DIV. Address:6900 MAIN STREET Box:7016 City:STRATFORD State:CT ZIP:06601-1381 Country:US Phone:203-386-3791 CAGE:78286 Company Name:WHITTAKER ORDNANCE Address:2751 SAN JUAN RD Box:148 City:HOLLISTER State:CA ZIP:95023 Country:US Phone:408-637-5851 CAGE:IO940

Ingred Name:ZIRCONIUM CAS:7440-67-7 RTECS #:ZH70 70000 Other REC Limits:NONE RECOMMENDED OSHA PEL:5 MG/M3/10 MG/M3STEL ACGIH TLV:5 MG/M3/10 MG/M3STEL

Ingred Name:AMMONIUM DICHROMATE (SARA III).OSHA PEL FOR CHROMIC ACID & CHROMATES.ACGIH TLV FOR CR(VI) COMPOUNDS. CAS:7789-09-5 RTECS #:HX7650000 Other REC Limits:NONE RECOMMENDED OSHA PEL:0.1 MG(CRO3)/M3,CEIL ACGIH TLV:0.05 MG(CR(VI))/M3 EPA Rpt Qty:10 LBS DOT Rpt Qty:10 LBS

Ingred Name:AMMONIUM PERCHLORATE CAS:7790-98-9 RTECS #:SC7520000 Other REC Limits:NONE RECOMMENDED

Ingred Name:BARIU M CHROMATE.OSHA PEL FOR CHROMIC ACID & CHROMATES.ACGIH TLV FOR CR(VI) COMPOUNDS. CAS:10294-40-3 RTECS #:CQ8760000 Other REC Limits:NONE RECOMMENDED OSHA PEL:0.1 MG(CRO3)/M3,CEIL ACGIH TLV:0.05 MG(CR(VI))/M3

Ingred Name:CYCLONITE (RDX) CAS:121-82-4 RTECS #:XY9450000 Other REC Limits:NONE RECOMMENDED OSHA PEL:1.5 MG/M3,SKIN ACGIH TLV:1.5 MG/M3,SKIN

Ingred Name:NITROCELLULOSE CAS:9004-70-0 RTECS #:QW0970000 Other REC Limits:NONE RECOMMENDED

===== Hazards Identification ====

LD50 LC50 Mixture:NOT KNOWN Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:NO Health Hazards Acute and Chronic:HAZARDOUS CONSTITUENTS SEALED WITHIN MFR ARTICLE.NO CHEMICAL EXPOSURE UNDER NORMAL HANDLING CONDITIONS EXCEPT WHEN UNIT IS IGNITED. EXPOSURE OF PERSONNEL TO IGNITION OF THIS UNIT MAY RESULT IN PHYSICAL INJURY. Explanation of Carcinogenicity:CR(VI) CMPD:SUFF EVID FOR CARCIN IN **HUMANS & ANIMALS** (IARC, 1987).CR & CERTAIN CR CMPD:KNOWN HUMAN CARCINOGEN (SEE SUPP) Effects of Overexposure: EYES/SKIN/INGESTION/INHALATION: NOT LIKELY ROUTES OF EXPOSURE FOR SEALED HAZARDOUS CONSTITUENTS. INHALATION OF COMBUSTION PRODUCTS COULD IRRITATE RESPIRATORY SYSTEM.CONTACT OF SKIN OR EYES MAY CAUSE IRR ITATION. Medical Cond Aggravated by Exposure: COMBUSTION PRODUCTS COULD AGGRAVATE EXISTING RESPIRATORY CONDITION.

Firs

t Aid:FOLLOW APPROPRIATE LOCAL EMERGENCY REACTION PLANS.GIVE FIRST AID APPROPRIATE TO INJURY. INHALATION:IF EXPOSED TO COMBUSTION PRODUCTS,REMOVE TO AREA OF FRESH AIR.SEEK MEDICAL ATTENTION IF NECESSARY.

Flash Point:NOT KNOWN

Lower Limits:NOT KNOWN

Upper Limits:NOT KNOWN

Extinguishing Media:NOT EXTINGUISHABLE.MAY BE ACTIVATED BY FIRE IN SURROUNDING PACKAGING OR COMBUSTIBLES.USE MEDIA APPROPRIATE FOR (SEE S

UP)

Fire Fighting Procedures:ONLY FIGHT DIVISION 4 (CLASS C) FIRE FROM A SAFE FIRE-FIGHTING OPERATIONAL DISTANCE.EVACUATE ALL PERSONNEL FROM IMMEDIATE AREA OF FIRE INVOLVING EXPLOSIVES.

Unusual Fire/Explosion Hazard:MOD FIRE HAZ.UNITS,WHEN ACTIVATED,GENERALLY CONTAIN HAZ COMBUST PROD/FRAGMENTS UNDER NORMAL USE.IF FIRE SITUATIONS RELEASE OF TOXIC SMOKE,FLAME MAY BE POSSIBLE.

Spill Release Procedures: IF UNIT

BECOMES DAMAGED SO AS TO EXPOSE SEALED MATERIAL,CONSULT WITH WHITTAKER ORDNANCE ENGINEERS FOR GUIDANCE. Neutralizing Agent:NOT KNOWN

Handling and Storage Precautions:AUTHORIZE HANDLING ONLY BY TRAINED,QUALIFIED PERS.HANDLE,STORE,TRANSPORT AS CLASS C EXPLOSICE.DO NOT STORE WITH HIGH EXPLOSIVES.KEEP AWAY FROM FIRE. Other Precautions:KEEP UNIT SHUNTED UNTIL CONNECTION TO CIRCUITRY.NEVER ATTEMPT TO DISASSEMBLE,MACH INE OR MODIFY UNITS OR PHYSICAL INJURY

MAY RESULT.TEST FIRE UNITS ONLY IN LOCATION ISOLATED FROM PERSONNEL & VENTED TO OUTSIDE WORK AREA. (SEE SUPP DATA)

Respiratory Protection: IF EXPOSED TO COMBUSTION PRODUCTS, USE A NIOSH APPROVED ORGANIC VAPOR, ACID GAS CARTRIDGE RESPIRATOR WITH DUST FILTERS. IN EMERGENCY FIRE, USE SELF-CONTAINED BREATHING APPARATUS AND FULL FACE PROTECTION I S RECOMMENDED.

Ventilation:LOCA

L EXHAUST TO OUTSIDE ATMOSPHERE.

Eye Protection:SAFETY GLASSES

Other Protective Equipment:FLAME RETARDANT,COTTON CLOTHING.CONDUCTIVE FOOTWEAR OR OTHER PERS GROUNDING RECOMMENDED WHEN HANDLING EXPOSED UNITS.

Work Hygienic Practices:OPERATIONAL SHIELDING & HEARING PROT RECOMMENDED FOR TESTING AS NEEDED.AVOID BREATHING/INGESTION PRODUCTS OF COMBUSTION.

Supplemental Safety and Health

TOTAL NET EXPLO WT:2.05 G/UNIT.EXTING MEDIA:SURROUNDING FIRE CONDTNS IF SAFE.EXPLAN OF CARCIN:(NT

P,1991).CR(VI):KNOWN TO CAUSE CANCER (CAL PROP 65,1987).CERTAIN WATER INSOL CR(VI) CMPDS:ACGIH A1=KNOWN HUMAN CARCIN (1993).OTHER PREC:AVOID PLACING FINGERS IN OPENING TO KNIFE BLADE WHEN HNDL UNITS TO PREVENT AMPUTATION.

Boiling Pt:B.P. Text:NOT KNOWN Melt/Freeze Pt:M.P/F.P Text:NOT KNOWN Decomp Temp:Decomp Text:NOT KNOWN Vapor Pres:NOT KNOWN Vapor Density:NOT KNOWN Spec Gravity:NOT KNOWN Evaporation Rate & amp; Reference:NOT KNOWN Solubility in Water:NOT KNOWN Appearance and Odor:MANUFACTURED ARTICLE.SEALED ELECTROEXPLOSIVE DEVICE CONTAINS PRESSED MIXTURES.

Stability Indicator/Materials to Avoid:YES
FLAMMABLE LIQUIDS,STRONG ACIDS OR BASES.
Stability Condition to Avoid:FLAME,HIGH TEMP,ELECTROSTATIC
DISCHARGE,IMPACT,ELECTRICAL CURRENT OR RF ENERGY.
Hazardous Decomposition Products:GASES,FUMES OR RESIDUES:CARBON MONOXIDE,CAR
BON DIOXIDE,NITROGEN OXIDES,NH*3,HCL,OXIDES OF ZIRCONIUM,BARIUM,CHROMIUM.
Conditions to Avoid Polymerization:WILL NOT OCCUR.

Waste Disposal Methods:UNIT MAY ONLY BE DISPOSED OF IN ACCORDANCE WITH ALL FEDERAL,STATE,& LOCAL REGULATIONS,AFTER COMPLETE FUNCTIONING BY TEST-FIRING AND/OR THERMAL TREATMENT IN APPROVED,PERMITTED FACILITY.

Disclaimer (provided with this information by the compiling agencies): This in

formation is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.