View NSN Online: https://aerobasegroup.tw/nsn/6850-00-935-1082

MCKESSON CORP MCKESSON CHEMICAL CO DIV -- FREON (R) TF -- 6850-00-935-1082

Product ID:FREON (R) TF MSDS Date:06/24/1986 FSC:6850 NIIN:00-935-1082 MSDS Number: BQGQD === Responsible Party === Company Name: MCKESSON CORP MCKESSON CHEMICAL CO DIV Address:1 POST ST CROCKER PLZ City:SAN FRANCISCO State:CA ZIP:94104-5201 Country:US Emergency Phone Num:800-424-9300 CAGE: 1JK82 === Contractor Identification === Company Name: MCKESSON CORP Address:1 POST ST CROCKER PLZ Box:City:SAN FRANCISCO State:CA ZIP:94104-5201 Country:US CAGE:83782 Company Name: MCKESSON CORP MCKESSON CHEMICAL CO DIV Address:1734 HAYES AVE Box:City:LONG BEACH State:CA ZIP:90813 Country:US Phone:415-983-9214 CAGE:1JK82

Ingred Name:1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE (FREON 113) (SARA III) CAS:76-13-1 RTECS #:KJ4000000 Fraction by Wt: > 99% Other REC Limits:NONE RECOMMENDED OSHA PEL:1000PPM/1250STEL ACGIH TLV:1000PPM/1250STEL9293 Ozone Depleting Chemical:1

LD50 LC50 Mixture:ORAL RAT LD50: 43 G/KG Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:CENTRAL NERVOUS SYSTEM IRREGULARITIES, CARDIAC IRREGULARITIES, UNCONSCIOUSNESS, DEATH, ASPHYXIATION

HAZARD, EYE IRRITATION, GASTROINTESTINAL DISTURBANCES.

Explanation of Carcinogenicity: THIS COMPOUND CONTAINS NO INGREDIENTS AT CONCENTRATIONS OF 0.1% OR GREATER THAT ARE CARCINOGENS OR SUSPECT CARCINOGENS.

Effects of Overexposure:LIGHTHEADEDNESS, GIDDINESS, SHORTNESS OF BREATH, NARCOSIS, CARDIAC IRREGULARITIES, UNCONSCIOUSNESS, DEATH, EYE IRRITATION, NAUSEA, VOMITING.

Medical Cond Aggravated by Exposure:PERSONS WITH A HISTORY OF AILMENTS OR WITH A PRE-EXISTING CADIOVASCULA

R DISEASE MAY BE AT INCREASED RISK FROM EXPOSURE.

First Aid:INHALATION: REMOVE TO FRESH AIR. GIVE ARTIFICIAL RESPIRATION IF NOT BREATHING. GET IMMEDIATE MEDICAL ATTENTION. EYES: IMMEDIATELY FLUSH WITH LOTS OF RUNNING WATER FOR 15 MINUTES. GET IMMEDIATE MEDICAL ATTENTION. SKIN: IMMEDIATELY FLUSH WITH SOAP AND WATER. REMOVE CONTMAINATED CLOTHING AND SHOES. INGESTION: DO NOT INDUCE VOMITING. GET IMMEDIAT E MEDICAL ATTENTION.

Flash Point:NONFLAMMABLE
Lower Limits:NOT GIVEN
Upper Limits:NOT GIVEN
Extinguishing Media:NONFLAMMABLE. USE EXTINGUISHING MEDIA APPROPRIATE FOR SURROUNDING FIRE.
Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY.

Unusual Fire/Explosion Hazard: EXTINGUISH ALL NEARBY SOURCES OF IGNIT

ION SINCE VAPORS DECOMPOSE TO HAZARDOUS PRODUCTS AT HIGH TEMPERATURES.

Spill Release Procedures: EXTINGUISH ALL IGNITION SOURCES. MOP OR WIPE UP AND DISPOSE OF IN DOT APPROVED CONTAINER. KEEP OUT OF SEWERS, STORM DRAINS, SURFACE WATERS AND SOIL. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER. Handling and Storage Precautions:STORE IN A COOL, DR Y PLACE. KEEP CONTAINERS CLOSED WHEN MATERIAL IS NOT IN USE. KEEP AWAY FROM IGNITION SOURCES, AVOID PROLONGED OR REPEATED CONTACT. Other Precautions: DO NOT USE PRESSURE TO EMPTY CONTAINER. DO NOT HEAT ABOVE 125F. VAPOR OF THIS PRODUCT ARE HEAVIER THAN AIR AND WILL COLLECT IN LOW PLACES, SUCH AS PITS OR DEGREASERS OR OTHER POORLY VENTILATED AREAS. Respiratory Protection: WEAR A NIOSH APPROVED SELF-CONTAINED B REATHING APPARATUS IN THE PRESSURE DEMAND MODDDE OR A SUPPLIED AIR RESPIRATOR IF USE CONDITIONS GENERATE VAPORS OR MIST. Ventilation: LOCAL AND MECHANICAL (GENERAL) EXHAUST TO PROVIDE ADEQUATE VENTILATION. Protective Gloves: RUBBER GLOVES Eye Protection: SAFETY GLASSES - CHEMICAL SPLASH GOGGLES Other Protective Equipment: WEAR INDUSTRIAL WORK CLOTHING. USE RUBBER APRON OR BOOTS IF NEEDED. HAVE EMERGENCY EYE WASH AND SAFETY SHOWER AVAILABLE. Work Hygienic Practices:WASH THOROU GHLY AFTER HANDLING AND BEFORE EATING, DRINKING OR SMOKING. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. Supplemental Safety and Health NOTE TO PHYSICIAN: BECAUSE OF A POSSIBLE INCREASED RISK OF ELICITING CARDIAC DYSRYTHMIAS, CATECHOLAMINE DRUGS, SUCH AS EPINEPHRINE, SHOULD BE CONSIDERED ONLY AS A LAST RESORT IN LIFE THREATENING EMERG ENCIES. HCC:N1

Boiling Pt:B.P. Text:118F,48C Melt/Freeze Pt:M.P/F.P Text: -31F,-35C Vapor Pres:334 Vapor Density:2.9 Spec Gravity:1.57 Evaporation Rate & amp; Reference:> 1 (BUTYL ACETATE = 1) Solubility in Water:NIL Appearance and Odor:COLORLESS LIQUID, SLIGHT ETHEREAL ODOR Percent Volatiles by Volume:100 %

Stability Indicator/Materials to Avoid:YES ALKALIS, OXIDIZING MATERIALS, WATER AND MOIST AIR. ALSO ALKALINE EARTH METALS AND POWDERED ALUMINUM OR ZINC.

Stability Condition to Avoid:OPEN FLAME

S, WELDING ARCS OR OTHER HIGH

TEMPERATURE SOURCES WHICH MAY INDUCE THERMAL DEDCOMPOSITION. Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE, HYDROGEN CHLORIDE, CHLORINE, PHOSGENE OR HYDROGEN FLUORIDE

Waste Disposal Methods:DISPOSE OF CONTAMINATED PRODUCT AND MATERIALS USED IN CLEANING UP SPILLS OR LEAKS IN A MANNER APPROVED FOR THIS MATERIAL. CONSULT APROPRIATE FEDERAL, STATE AND LOCAL REGULATOR Y

AGENCIES TO ACCERTAIN P ROPER DISPOSAL PROCEDURES.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the su itability of this information to their particular situation.