View NSN Online: https://aerobasegroup.tw/nsn/6850-01-353-4464

## CANON U S A INC -- CANON TONER CYAN FOR CLC 200/300 -- 6850-01-353-4464

Product ID:CANON TONER CYAN FOR CLC 200/300

MSDS Date:12/01/1991

FSC:6850

NIIN:01-353-4464

MSDS Number: BTNBP === Responsible Party ===

Company Name: CANON US A INC

Address: ONE CANON PLAZA

City:LAKE SUCCESS

State:NY ZIP:11042 Country:US

Info Phone Num:516-488-6700 Emergency Phone Num:516-488-6700/800-424-9300(CHEMTREC)

CAGE:1BA63

=== Contractor Identification === Company Name:CANON USA INC Address:ONE CANON PLAZA Box:City:LAKE SUCCESS

State:NY ZIP:11042 Country:US

Phone:516-328-5600

CAGE:1BA63

Company Name: PAPERGRAPHICS INC

Address:5210 CAPITOL DRIVE

Box:City:WHEELING

State:IL

ZIP:60090-6483 Country:US

Phone:800-323-5006

CAGE:5X817

====== Composition/Information on Ingredients ========

Ingred Name: BISPHENOL A PROPYLENE OXIDE FUMARATE

CAS:39382-25-7 Fraction by Wt: 85 -95%

Other REC Limits: NONE RECOMMENDED

Ingred Name:PIGMENT Fraction by Wt: 3-10%

Other REC Limits: NONE RECOMMENDED

Ingred Name: SALICYLIC ACID CHELATE

CAS:72869-85-3 Fraction by Wt: 1-5%

Other REC Limits: NONE RECOMMENDED

LD50 LC50 Mixture:ORAL LD50 (RAT) IS >5.0 G/KG Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:INHALATION-TONER IS

FINELY DIVIDED

SOLID. DO NOT BREATHE DUST. EYE CONTACT-NO SPECIFIC HAZARD KNOWN. HOWEVER, ANY MATERIAL THAT CONTACTS THE EYE MAY BE IRRITATING. SKIN CONTACT-LOW HAZARD FOR INDUSTRI AL HANDLING.

Effects of Overexposure: NONE SPECIFIED BY MANUFACTURER.

Medical Cond Aggravated by Exposure: NONE SPECIFIED BY MANUFACTURER.

First Aid:INHALATION-REMOVE FROM EXPOSURE TO FRESH AIR. EYE CONTACT-OPEN EYE AND FLUSH WITH PL

ENTY OF WATER. IF IRRITATION

PERSISTS, GET MEDICAL ATTENTION. SKIN-WASH WITH SOAP & WATER. INGESTION-DRINK SEVERAL G LASSES OF WATER. CALL A PHYSICIAN.

============= Fire Fighting Measures ========================

Extinguishing Media: CARBON DIOXIDE, WATER, DRY CHEMICALS. Fire Fighting Procedures: NONE.

Unusual Fire/Explosion Hazard:THIS MATERIAL, LIKE MOST ORGANIC MATERIAL IN POWDER FORM, IS CAPABLE OF CREATING A DUST EXPLOSION.

======= Accidental Release Measure

Spill Release Procedures:SWEEP MATERIAL ONTO PAPER AND PLACE IN FIBER CARTON.
============= Handling and Storage ==============
Handling and Storage Precautions: KEEP OUT OF REACH OF CHILDREN. KEEP AWAY FROM CONTACT WITH OXIDIZING MATERIALS. STORE IN THE ROOM BELOW 40C.
Other Precautions:NONE
====== Exposure Controls/Personal Protection =======
Respiratory Protection:NONE REQUIRED. Ventilation:GOOD GENERAL VENTILATION SHOULD BE SUFFICIENT. Protective Gloves:NONE REQUIRED. Eye Protection:NONE REQUIRED. Other Protective Equipment:NONE REQUIRED. Work Hygienic Practices:NONE REQUIRED. Supplemental Safety and Health NONE
========== Physical/Chemical Properties ==========
HCC:N1 Melt/Freeze Pt:M.P/F.P Text:100-200C Vapor Pres:NEGLIGIBLE Spec Gravity:1.0-1.2 Evaporation Rate & Description of the Solubility in Water:NEGLIGIBLE Appearance and Odor:TONER IS A FINE POWDER, WITH SLIGHT ODOR. Percent Vo latiles by Volume:NEGLIE
======== Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES STRONG OXIDIZERS. Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER. Hazardous Decomposition Products:AS WITH ANY OTHER ORGANIC MATERIAL DECOMPOSITION WILL PRODUCE CARBON DIOXIDE AND CARBON MONOXIDE.
======= Disposal Considerations ==========
Waste Disposal Methods:THE WASTE TONER COULD BE CONSIDERED AS PLASTIC WAST

S =========

E. FOR INCINERATION, PACKAGE TONER ADEQUATELY. DO NOT DISPERSE THE TONER INTO FIRE. DISPOSE IN ACCORDANCE WITH FEDERAL, STATE AND/OR LOCAL REGULATION S.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.