View NSN Online: https://aerobasegroup.tw/nsn/7930-01-436-8313

## NEW PIG CORP -- BLUE PIG SOCK ABSORBENT, MAT 204J -- 7930-01-436-8313

======== Product Identification ============

Product ID:BLUE PIG SOCK ABSORBENT, MAT 204J

MSDS Date:12/08/1995

FSC:7930

NIIN:01-436-8313

MSDS Number: CGZMS
=== Responsible Party ===
Company Name:NEW PIG CORP

Address: ONE PORK AVE

City:TIPTON State:PA

ZIP:16684-0304 Country:US

Info Phone Num:800-684-0101

Emergency Phone Num:800-468-4647

Pre

parer's Name: CAMERON W. SHERRY

CAGE:1JA49

=== Contractor Identification ===

Company Name: NEW PIG CORPORATION

Address: ONE PORK AVENUE

Box:City:TIPTON

State:PA

ZIP:16684-0304 Country:US

Phone:800-468-4647

CAGE:1JA49

======= Composition/Information on Ingredients ========

Ingred Name: OUTER MATERIAL CONSISTING OF INGREDIENTS 2-3

RTECS #:9999999ZZ

OSHA PEL:N/K ACGIH TLV:N/K

Ingred Name: CELLULOSE

CAS:9004-34-6

RTECS #:FJ5691460 Fraction by Wt: 3%

OSHA PEL:15 MG/M3 TDUST

**ACGIH TLV:10** 

Ingred Name:POLY(OXYETHYLENEOXYTEREPHTHALOYL); (POLYESTER)

CAS:25038-59-9 RTECS #:TR2725000 Fraction by Wt: 2% OSHA PEL:N/K ACGIH TLV:N/K

Ingred Name: INNER MATERIAL CONSISTING OF INGREDIENT 5

RTECS #:9999999ZZ

OSHA PEL:N/K ACGIH TLV:N/K

Ingred Name: MAGNESIUM ALUMINOSILICATE MINERAL; (MAGNESIUM

ALUMINOSILICATE)

CAS:1318-00-9 Fraction by Wt: 95% OSHA PEL:N/K ACGIH TLV:N/K

========= Hazards Identification ===============

LD50 LC50 Mixture: NONE SPECIFIED BY M

ANUFACTURER.

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYE CONTACT: MAY CAUSE MINOR PHYSICAL OR MECHANICAL IRRITATION. INGESTION: NOT CONSIDERED HARMFUL. INHALATION: IF OUTER MATERIAL IS PUNCTURED, BREATHING OF EXCESSIVE AIRBORNE DUST MAY CAUSE SYMPTOMS T YPICAL OF NUISANCE DUSTS, IE COUGHING, SNEEZING OR MINOR UPPER RESPIRATORY IRRITATION. SKIN CONTACT: (EFTS OF OVEREXP)


Expl

anation of Carcinogenicity:NOT RELEVANT

Effects of Overexposure:HLTH HAZ: NOT EXPECTED TO CAUSE ANY HARMFUL EFFECTS. CHRONIC: NOT APPLICABLE.

Medical Cond Aggravated by Exposure: NONE SPECIFIED BY MANUFACTURER.

First Aid:INGEST: CALL MD IMMEDIATELY . SKIN: FLUSH W/COPIOUS AMOUNTS OF WATER. CALL MD . EYES: FLUSH IMMEDIATELY WITH WATER FOR AT LEAST 15 MINUTES. IF IRRITATION, BLINKING OR TEARING OCCUR AND PER SIST,



DOR. EXTING MEDIA: USED FORM:THAT WHICH IS COMPAT TO LIQ(S)
ABSORBED. WASTE DISP METH: A HAZARDOUS COMPONENT. IN SUCH INSTA
NCES THE MATERIAL SHOULD BE DISPOSED OFVIA AN APPROVED WASTE
DISPOSAL SERVICE AND THE APPROPRIATE MANIFESTING OBTAINED.

========= Physical/Chemical Properties ===========

HCC:N1

Melt/Freeze Pt:M.P/F.P Text:SUPDAT

Spec Gravity:SUPDAT

Solubility in Water: NEGLIGIBLE

Appearance and Odor:FREE-FLOWING PARTICLES, BROWN TO GRAY IN COLOR,

**ENCLOSED** 

IN A FABRIC (SUPDAT)

========= Stability and Reactivity Data ==============

Stability Indicator/Materials to Avoid:YES

PRODUCT MAY BE AFFECTED BY ACIDS, BASES AND OXIDIZERS.

Stability Condition to Avoid:NONE.

Hazardous Decomposition Products: WILL NOT OCCUR.

======= Disposal Considerations ===========

Waste Disposal Methods:IF UNUSED, NO SPECIAL PRECAUSTIONS ARE NECESSARY. DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS. IN CERT

AIN TYPES OF CLEANUP APPLICATIONS THE NATURE OF THE MATERIAL RECOVERED WILL CLASSIFY THE RESULTING SPENT MATERIAL AS (SUPDAT)

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.